

**Dennis Sylvester**  
Edward S. Davidson Collegiate Professor  
of Electrical and Computer Engineering

2417B EECS  
Department of Electrical Engineering and  
Computer Science  
1301 Beal Ave.  
Ann Arbor, MI 48109-2122

dmcs@umich.edu  
(734) 615-8783 (office)  
(734) 763-9324 (fax)  
<http://www.eecs.umich.edu/~dennis>

## Professional Experience

<b>Edward S. Davidson Collegiate Professor, University of Michigan, Ann Arbor</b>	2020 – present
<b>Professor</b>	2010 – 2020
<b>Associate Professor</b>	2005 – 2010
<b>Assistant Professor</b>	2000 – 2005
• Department of Electrical Engineering and Computer Science	
• Founding Director, Michigan Integrated Circuits Laboratory (MICL)	
• Senior Associate Chair, Electrical and Computer Engineering, 2018 – present	
<b>Visiting Professor, Nanyang Technological University, Singapore</b>	2013 - 2014
<b>Co-founder, CubeWorks, Inc.</b>	2013
<b>Co-founder, Ambiq Micro</b>	2010
<b>Visiting Associate Professor, National University of Singapore</b>	2006 – 2007
• Department of Electrical and Computer Engineering	
<b>Senior R&amp;D Engineer, Synopsys, Inc., Mountain View, CA</b>	1999 – 2000
<b>TCAD Engineer, Hewlett-Packard Laboratories, Palo Alto, CA</b>	1996 - 1998

## Education

**University of California, Berkeley**, Berkeley, California

**Ph.D. Electrical Engineering**, 1999

    Dissertation: *Analytical Modeling and Characterization of Deep Submicron Interconnect*

**M.S. Electrical Engineering**, 1997

    Thesis: *Interconnect Capacitance Characterization Using Charge-Based Capacitance Measurement (CBCM) Technique*

**University of Michigan**, Ann Arbor, Michigan

**B.S. Electrical Engineering, 1995**

*Summa Cum Laude*

## Honors and Awards

- University of Michigan Distinguished University Innovator, 2019.
- IEEE Micro Top Picks, ISCA 2018 paper on Neural Cache “chosen to be among the most significant research papers in computer architecture based on novelty and potential for long-term impact,” 2019.
- University of Michigan College of Engineering Ted Kennedy Family Team Excellence Award, 2018.
- Most Prolific Author Award, *IEEE Symposium on VLSI Circuits*, 30<sup>th</sup> anniversary award for most papers published 2010-2016.
- Design Contest Winner, *IEEE/ACM International Symposium on Low-Power Electronics and Design*, 2016.
- Distinguished Paper Award, *IEEE Security and Privacy Symposium*, top overall paper among 413 submitted and 55 accepted papers, 2016.
- Distinguished Engineering Professor Award, sponsored by Novelis Aluminum, 2016.
- Best Student Paper Award, *IEEE International Symposium on Circuits and Systems*, 2015.
- University of Michigan College of Engineering Innovation Excellence Award, joint with David Blaauw, 2014.
- ACM/IEEE Design Automation Conference 50<sup>th</sup> anniversary awards, DAC prolific author award (2<sup>nd</sup> most prolific author in DAC 5<sup>th</sup> decade), DAC collaborative award (for publishing at least 20 papers with Prof. David Blaauw), DAC most prolific author in a single year award (2004), and DAC prolific author award (more than 35 papers at DAC), 2013.
- University of Michigan Rackham Faculty Recognition Award, 2013.
- Top Contributing Authors, IEEE International Solid-State Circuits Conference, 60<sup>th</sup> anniversary celebration, named in top 10 authors in 2004-2013 timeframe.
- University of Michigan Electrical Engineering and Computer Science Department Outstanding Achievement Award, 2011.
- IEEE Fellow, 2011, “for contributions to energy-efficient integrated circuits”
- University of Michigan College of Engineering Ted Kennedy Family Team Excellence Award, 2009-2010
- Best Paper Award, *ACM/IEEE International Symposium on Low-Power Electronics and Design*, 2009
- University of Michigan College of Engineering Ted Kennedy Family Team Excellence Award, 2008-2009
- Best Paper Award, *IEEE International Symposium on Quality Electronic Design*, 2006
- Henry Russel Award, University of Michigan, given in recognition of distinguished scholarship and conspicuous ability as a teacher, 2006
- University of Michigan College of Engineering Vulcans Education Excellence Award, 2005-2006
- Semiconductor Research Corporation Inventor Recognition Award, 2005
- 1938E Award, U-M College of Engineering, given for outstanding teaching, counseling, and scholarly integrity, 2004
- IBM Faculty Award, IBM Austin Center for Advanced Studies, 2004

- Association for Computing Machinery (ACM) Special Interest Group on Design Automation (SIGDA) Outstanding New Faculty Award, 2003
- Ruth and Joel Spira Outstanding Teaching Award, U-M College of Engineering, 2003
- NSF Faculty Early Career Development (CAREER) Award, 2002
- David J. Sakrison Memorial Prize for best dissertation, UC-Berkeley EECS department, 2000
- Beatrice Winner Award, *IEEE International Solid-State Circuits Conference*, 2000
- Synopsys Special Recognition Award (for excellent performance and outstanding contribution to Synopsys Engineering), 2000
- Best Paper Award, Semiconductor Research Corporation Graduate Fellowship Program, 1999
- Outstanding Research Presentation Award, Semiconductor Research Corporation Technical Conference, 1998
- Best Student Paper Award, *IEEE International Semiconductor Device Research Symposium*, 1997
- Semiconductor Research Corporation Graduate Fellow, 1997 – 1999

## Research Interests

- Low power integrated circuit design and design automation
- Variation-tolerant circuit design styles
- Near-threshold computing systems
- Millimeter-scale computing systems

## Professional Activities and Service

- IEEE Solid-State Circuits Society Administrative Committee elected member, 2019 – 2021
- Associate Editor, *IEEE Journal of Solid-State Circuits*, 2017 – present
- Demonstration Session Chair, *IEEE Symposium on VLSI Circuits*, 2018
- IEEE Solid-State Circuits Society Distinguished Lecturer, 2016 – 2017
- IEEE Robert Noyce Medal Committee member, 2014 – 2016
- External Advisory Committee Member, ATIC-SRC Center of Excellence on Energy-Efficient Electronic Systems, United Arab Emirates, 2014 – 2018
- Guest Editor, special issue on *ISSCC*, *IEEE Journal of Solid-State Circuits*, January 2017.
- Advisory Board Member, DESIGN School, Kyoto University, 2013 – 2015
- Guest Editor, special issue on Circuits and Systems for Energy-Autonomous Microsystems, *IEEE Transactions on Circuits and Systems II: Express Briefs*, 2013.
- Associate Editor, *IEEE Transactions on Computer-Aided Design*, 2006 – 2011
- Executive Committee member, *ACM/IEEE Design Automation Conference*, 2008 – 2009
- Tutorials Chair, *ACM/IEEE Design Automation Conference*, 2009
- Steering Committee member, *ACM/IEEE International Symposium on Physical Design*, 2006 – 2008
- Co-organizer, *ACM Workshop on Test Structure Design for Variability Characterization (TSD)*, 2008.
- Associate Editor, *IEEE Transactions on VLSI Systems*, 2003 – 2007

- Planning Committee member, Semiconductor Research Corporation Interconnect Forum, Santa Cruz, CA, 2006
- General Chair, *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems* (TAU), 2005
- Panel moderator
  - “Crystal ball on low power: limiting trends and strategic solutions,” *ACM/IEEE Design Automation Conference*, 2011
  - “Who is responsible for design for manufacturability issues in the era of nanotechnologies?,” *ACM/IEEE Asia-South Pacific Design Automation Conference*, 2005
- Technical Program Committee co-Chair, *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems* (TAU), 2004
- Tutorials Chair, *IEEE International Symposium on Quality Electronic Design* (ISQED), 2004
- Guest co-Editor, *IEEE Transactions on VLSI Systems*, special issue on System-Level Interconnect Prediction, October 2004
- General Chair, *ACM/IEEE International Workshop on System-Level Interconnect Prediction* (SLIP), 2003
- Co-organizer, panel on low-power design automation tools, *ACM/IEEE Design Automation Conference* (DAC), 2003
- Co-organizer and co-chair, special session on nanoscale CMOS, *ACM/IEEE Design Automation Conference*, 2002
- Member, U.S. Design Technology Working Group (TWG) for the International Technology Roadmap for Semiconductors (ITRS), 2001–2003
- Technical Program Committee Chair, *ACM/IEEE International Workshop on System-Level Interconnect Prediction* (SLIP), 2001 (co-chair), 2002
- Technical Program Committee member:
  - *IEEE International Solid-State Circuits Conference* (ISSCC), 2015 – present
  - *IEEE Symposium on VLSI Circuits*, 2014 – 2018
  - *ACM/IEEE Design Automation Conference* (DAC), 2003–2006, sub-committee chair 2004–2006
  - *IEEE International Workshop on Design for Manufacturability and Yield* (DFM&Y), 2006
  - *ACM/IEEE International Symposium on Low-Power Electronics Design* (ISLPED), 2004–2005
  - *ACM/IEEE Asia-South Pacific Design Automation Conference* (ASP-DAC), 2005
  - *IEEE International Symposium on Quality Electronic Design* (ISQED), 2002–2003, chair of sub-committee on device, interconnect, and circuit-level modeling and analysis (2003)
  - *ACM/IEEE International Conference on Computer-Aided Design* (ICCAD), 2000–2002
  - *IEEE International Conference on Computer Design* (ICCD), 2001–2003, 2006 (Logic and Circuits Track co-chair)
  - *ACM/IEEE International Workshop on Timing Issues in Digital Systems* (TAU), 2002, 2006
  - *ACM/IEEE International Workshop on System-Level Interconnect Prediction* (SLIP), 2000, 2004–2006
  - *IEEE International Symposium on Circuits and Systems* (ISCAS), 2002–2003
  - *SPIE Design and Process Integration for Microelectronic Manufacturing Conference*, 2005–2008
  - *IEEE International Conference on VLSI and System-on-Chip*, 2010
- Executive committee member, Fabless Semiconductor Association, 2000

- Proposal reviewer for:
  - National Science Foundation
  - Portugal Foundation for Science and Technology (FCT)
  - University of California MICRO program
  - Netherlands Organization for Scientific Research
- Reviewer for:
  - *IEEE Transactions on Computer-Aided Design, IEEE Transactions on VLSI Systems, IEEE Journal of Solid-State Circuits, IEEE Transactions on Electron Devices, IEEE Transactions on Computers, IEEE Design & Test of Computers, IEEE Transactions on Circuits and Systems, Proceedings of the IEEE*
  - *ACM Transactions on Design Automation of Electronic Systems*
  - *Elsevier Integration: The VLSI Journal*

## University Service

- ECE strategic planning committee chair, 2019 – 2020
- College of Engineering Research Advisory Committee, 2016 – 2018
- ECE faculty search committee chair, 2014 – 2018
- ECE executive committee member, 2014 – 2016
- University of Michigan ADVANCE launch committee convener, 2015 – 2016
- ECE faculty search committee member, 2012 – 2013
- ECE: EE program PhD recruiting coordinator, 2011 – 2013
- ECE graduate admissions committee member, 2009 – 2013
- CSE chair search advisory committee member (ECE representative), 2010 – 2011
- ECE: EE undergraduate program advisor, 2010 – 2011
- ECE financial aid strategy team member, 2009
- ECE executive committee member, 2007 – 2009
- ECE faculty search committee member, 2007 – 2009
- CSE chair search advisory committee member (ECE representative), 2007 – 2008
- VLSI graduate advisor (concurrently a member of EE graduate committee), 2000 – 2010
- Computer Engineering Center task force member, 2006
- ECE faculty search sub-committee chair (VLSI), 2004 – 2005
- EECS strategic planning sub-committee on department structure and faculty environment, 2005
- Eta Kappa Nu (HKN) faculty advisor, 2003 – 2006
- EECS building renovation committee member, 2003 – 2006
- ECE faculty search sub-committee member (RF circuits/MEMS), 2002–2003
- Departmental Computing Organization (DCO) review committee member, 2002
- Organizer, EECS Department VLSI seminar series (renamed the Micron Technology Foundation VLSI Seminar Series), 2001 – 2006
- Marshal, Spring 2002 Commencement Exercises
- Computer Engineering degree program committee member, 2001

- HKN Scholarship faculty reviewer, 2000, 2006
- Promotion and tenure, and/or reappointment casebook committee member or chair, 2005, 2006, 2008, 2009, 2010 (chair), 2011 (chair), 2012, 2014 (chair)

## Teaching

### Courses Taught:

- EECS 312, Digital Integrated Circuits
- EECS 427, VLSI Design I
- EECS 523, Digital Integrated Circuit Technology
- EECS 627, VLSI Design II
- EECS 628, Advanced High Performance VLSI Design

### Courses Developed or Significantly Revised:

- EECS 312, Digital Integrated Circuits (Developed)
- EECS 427, VLSI Design I (Revised, Fall 2003)
- EECS 628, Advanced High Performance VLSI Design (Co-developed)

## Consulting

- STMicroelectronics, Geneva, Switzerland, [Technology Council Member, 2006 – 2013]
- Tela Innovations, Campbell, CA [Technical Advisory Board member, 2009 – 2011]
- Sequence Design, Inc., Santa Clara, CA [Technical Advisory Board member, 2003 – 2009]
- Blaze DFM, Inc., Sunnyvale, CA [Technical Advisory Board member, 2004 – 2008]
- Cadence Design Systems, San Jose, CA
- Intel Corporation, Santa Clara, CA and Haifa, Israel
- King Abdullah University of Science and Technology, Saudi Arabia
- NEC Research Labs, Princeton, NJ

## Grants and Contracts

- National Institute of Standards and Technology, “Decimeter accurate, long range non-line-of-sight RF localization solution for public safety applications,” 8/1/2017 – 7/31/2020, \$997,873.
- Sony Corporation of America, “Low power motion detection for the internet of things,” 8/1/2016 – 12/31/2019, \$1,017,529.
- Analog Devices, gift funding to support research in fast comparator design, \$210,000, 2016-2018.
- Defense Advanced Projects Research Agency (DARPA), “Near-zero power, continuous acoustic sensing microsystem using active integrated circuits and digital signal processing,” 9/1/15 – 11/30/18, lead PI, \$2,730,000.
- Semiconductor Research Corporation, “Infrared based power delivery and communication for implanted sensors,” 06/01/15 – 05/31/18, \$375,000.
- Semiconductor Research Corporation, “Low power applications of FRAM,” 02/01/14 – 1/31/17, \$137,500.

- National Science Foundation and National Institutes of Health, “SCH: INT: Wireless implantable electronic biosensors for tumor monitoring,” 09/22/14 – 08/31/18, \$1,759,460.
- Defense Science and Technology Laboratory, “M3 MM scale computing GPS logger,” 04/01/14 – 03/31/16, \$1,540,000.
- Microelectronics Advanced Research Corporation (MARCO) and Defense Advanced Research Projects Agency (DARPA), “Circuits for spin-based devices,” through the Center for Spintronic Materials, Interfaces and Novel Architectures (C-SPIN), 1/15/13 – 10/31/14, \$320,000.
- Defense Advanced Projects Research Agency (DARPA), “Energy efficient 3D near-threshold computing systems for future embedded applications,” 10/19/12 – 3/18/14, lead PI: Trevor Mudge, \$1,528,161.
- Advanced Micro Devices, gift funding to support research in CMOS aging, \$50,000, 2012.
- US Air Force, “Sub-1mm electronics for actuating, controlling, and linking programmable matter,” 3/15/12 – 12/30/12, lead PI: David Wentzloff, \$60,000.
- Defense Science and Technology Laboratory, “Dstl Sensor Development Kits,” 8/1/12 – 2/28/13, co-PI with David Blaauw, \$160,000.
- Advanced Energy Consortium, “An autonomous microsystem test-bed for extreme environments,” 6/1/12 – 12/31/16, co-PI with Yogesh Gianchandani (lead), David Blaauw, \$475,000.
- Semiconductor Research Corporation, “Shortstop: Fast power supply boosting for energy-efficient high-performance processors,” 8/1/12 – 7/31/15, co-PI with David Blaauw, \$360,000.
- National Science Foundation, “Minimally invasive error detection/correction for runtime margin elimination,” 7/1/12 – 6/30/15, co-PI with David Blaauw, \$450,000.
- University of Michigan Comprehensive Cancer Center, “Implantable biosensors for the tumor microenvironment,” 12/1/11 – 11/30/12, \$40,000.
- National Science Foundation, “Integrating Circuits, Sensing, and Software to Realize the Cubic-mm Computing Class,” 08/15/11 – 07/31/16, lead PI: David Wentzloff, \$2,533,000.
- Office of Naval Research, “Cognitive Ultra-low Power Sensor System (CUPSS),” STTR with Intelligent Automation, Inc., 09/01/11 – 03/31/16, \$420,000 (Phases I,II,III).
- National Science Foundation, “Collaborative Research: Variability Aware Software for Efficient Computing with Nanoscale Devices ,” 09/01/2010 – 08/31/2015, co-PI under Director Rajesh Gupta, UCSD, \$10,000,000.
- Office of Naval Research, “A Hierarchical Wireless System for Distributed Strain Monitoring in Naval Structures,” SBIR with Civionics, LLC, 05/10/2010 – 11/09/2010, \$33,250.
- King Abdullah University of Science and Technology Saudi Arabia, “Toward efficient nanoelectronic systems for biomedical sensing,” lead PI: Yogesh Gianchandani, 05/01/2010 – 04/30/2012, \$680,000.
- Intel Corporation, “A confidence-driven model for predictable computing in future technologies,” PI: Zhengya Zhang, co-PIs: Dennis Sylvester, David Blaauw, \$249,000 (gift), 2010-2011.
- Google, gift to support research in energy-efficient memory and processor architectures, joint with Professor Thomas Wensich, David Blaauw, and Trevor Mudge, \$100,000, 2009.
- National Science Foundation, “Reclaiming Moore's Law through Ultra Energy Efficient Computing,” 08/01/2009 – 07/31/2014, co-PI with David Blaauw (lead PI, U-Michigan), Trevor Mudge (U-Michigan), Chaitali Chakrabarti (Arizona St.), and David Harris (Harvey Mudd), \$2,778,507.
- Microelectronics Advanced Research Corporation (MARCO) and Defense Advanced Research Projects Agency (DARPA), “Resiliency for ultra-low power platforms,” through the Gigascale Systems Research Center (GSRC), 11/01/09 – 10/31/12, \$315,250.

- Medical Innovation Center Innovation Grant, University of Michigan, “Brain Pressure Sensor – Wireless,” co-PI with Dr. Lynda Yang and Mr. Alex Kim, \$10,000, 2009.
- National Institute of Standards and Technology, “Cyber-enabled wireless monitoring systems for the protection of deteriorating national infrastructure systems,” 02/01/2009 – 01/31/2014, \$19,162,000.
- Army Research Laboratory, “COM-BAT: Center for Objective Microelectronics and Biomimetic Advanced Technology,” Kamal Sarabandi (Director), Dennis Sylvester (Processing team leader), 04/01/08 – 03/31/13, \$10,000,000.
- National Science Foundation, “An Engineering Research Center in Wireless Integrated Microsystems,” Kensall D. Wise (Director), Dennis Sylvester (Micropower Circuits thrust leader, 02/01/05 – present), total thrust budget \$417,000 (direct costs) in 2007-2008.
- National Science Foundation, “Probabilistic wearout in nanoscale CMOS: analysis, monitoring, and optimization,” co-PI with David Blaauw, U-Michigan, 09/01/08 – 08/31/11, \$300,000.
- Defense Advanced Research Projects Agency (DARPA), “Strained Si/SiGe/Ge HETEROJUNCTION Tunneling Transistor (HETT) Technology with Steep Subthreshold Slope for Extremely Low Power Electronics,” (IBM lead organization), 01/01/08 – 12/31/09, \$444,000 (UM share).
- Semiconductor Technology Academic Research Center (Japan), “Low-cost body biasing and reliability-aware CAD,” 01/01/08 – 12/31/08, \$180,000.
- Semiconductor Technology Academic Research Center (Japan), “Soft-edge flip-flops for timing yield and parametric yield budgeting across functional units,” 09/01/06 – 08/31/07, \$180,000.
- Microelectronics Advanced Research Corporation (MARCO) and Defense Advanced Research Projects Agency (DARPA), “ElastIC: An Adaptive Self-Healing Architecture for Unpredictable Silicon,” 09/01/06 – 10/31/09, \$378,000
- National Science Foundation, “Formal Design Techniques for Adaptive Circuit Fabrics,” co-PI with Michael Orshansky, U-Texas, Austin, 09/01/06 – 08/31/09, \$464,440
- Semiconductor Research Corporation, “A Design Optimization Framework for Process Variation Tolerance,” co-PI with David Blaauw, U-Michigan, 09/01/06 – 12/31/09, \$390,000
- Semiconductor Research Corporation, “CAD Solutions for Parametric Yield Optimization,” co-PI with David Blaauw, U-Michigan, 09/01/05 – 08/31/08, \$360,000
- Semiconductor Technology Academic Research Center (Japan), “Runtime leakage analysis and statistical static timing analysis enhancements,” 09/01/05 – 08/31/06, \$180,000.
- National Science Foundation and Semiconductor Research Corporation, “Communication Fabrics for the Globally Asynchronous Network-on-Chip Era,” co-PI with Michael Flynn, U-Michigan, 9/01/04 – 08/31/07, \$489,500
- Microelectronics Advanced Research Corporation (MARCO) and Defense Advanced Research Projects Agency (DARPA), “System-Level Living Roadmap,” 09/01/03 – 08/31/06, \$592,000
- National Science Foundation, “CAREER: Improving Technology-EDA Integration through Interconnect Design Tools for Nanometer Design,” 01/01/02 – 12/31/08, \$375,000
- National Science Foundation, “ITR: Methodologies for Robust Design of Information Systems under Multiple Sources of Uncertainty,” co-PI with David Blaauw, U-Michigan, Sachin Sapatnekar, U-Minnesota, and Sarma Vrudhula, U-Arizona, 09/01/02 – 08/31/08, \$1,800,000
- Semiconductor Research Corporation, “Analysis and Reduction of Simultaneous Gate-Oxide Tunneling and Subthreshold Leakage Current,” co-PI with David Blaauw, U-Michigan, 07/01/03 – 06/30/06, \$360,000
- Semiconductor Research Corporation, “Algorithmic and Circuit-level Approaches to Leveraging Multi-V<sub>th</sub> processes,” co-PI with Kurt Keutzer, UC-Berkeley, 07/01/01 – 04/30/05, \$490,000



- Semiconductor Research Corporation, “Layout Techniques for Cost-driven Control of Lithography-induced Variability,” co-PI with Andrew B. Kahng of UC-San Diego, 07/01/01 – 01/31/05, \$420,000
- Defense Advanced Research Projects Agency (DARPA), “Complex Signal Processing Application Specific Integrated Circuit Designs,” lead PI: Richard Brown, University of Michigan, subcontract of BAE Systems, 09/18/01 – 03/15/03, \$225,000
- Microelectronics Advanced Research Corporation (MARCO) and Defense Advanced Research Projects Agency (DARPA), “GSRC Technology Extrapolation (GTX) Engine,” 01/01/01 – 08/31/03, \$285,000
- IBM Corporation, Austin Center for Advanced Studies, “Joint Statistical Optimization of Static Power Consumption and Performance,” Faculty Award (gift), \$40,000, 2004.
- Intel Corporation, “VLSI Design Curriculum,” co-PI with Richard Brown, David Blaauw, and Michael Flynn, 09/01/03 – 08/31/04, \$202,173.
- Intel Circuits Research Laboratory, gift to support research in the areas of global signaling and multi-Vdd circuit design, \$120,000, 2003–2005.
- Intel Corporation, “Current Source Cell Models with Variability,” \$20,000, 2005.
- Intel Corporation, “An Alternative Framework for Statistical Optimization Based on Variation Space Sampling, including Current Source Models,” \$10,000, 2006.
- NEC USA, gift to support research in the area of noise-aware timing analysis, \$38,000, 2001.
- Mentor Graphics Corporation, gift to support research in the area of design for manufacturability, \$100,000, 2002–2005.
- Sun Microsystems Academic Equipment Grant, to support research in the area of multi-Vth and multi-Vdd circuit design, 2 Sun Blade 1000 workstations, \$51,000, 2002.
- Intel Corporation, equipment donation to support research in global signaling and multi-Vdd circuit design, \$19,645, 2003.
- Intel Corporation, equipment donation to support research in current source modeling and statistical optimization, \$5,959, 2006.
- Intel Corporation, equipment donation to support the development of a showcase circuit design graduate student office space, \$66,878, 2009.
- Intel Corporation, cash donations to support the Michigan Integrated Circuits Laboratory, \$50,000, 2009, 2011.
- U-M College of Engineering, to support the creation of a VLSI seminar series, 09/01/01 – 04/30/03, \$11,500 (supplemented with \$3,500 of support from Solid-State Electronics Laboratory)
- Micron Technology Foundation, to support the VLSI seminar series, 09/01/03 – 04/30/06, \$15,700

## Selected Invited Talks and Tutorials

- IEEE Solid-State Circuits Society Distinguished Lecture, “Ultra-low power IC design 101,” given multiple times in Singapore, Lausanne, Montreal, Seoul, Beijing, 2016—2017.
- TTI/Vanguard [next] Conference, “Designing Cubic Millimeter Computers,” San Francisco, Ca., December 8-9, 2015.
- “Voltage scaled digital design: why and how”, Integrated Circuit Design Workshop, IEEE SSCS Taipei Chapter, Taipei, Taiwan, Oct 30, 2015.
- “Ultra-low power circuits for cubic millimeter microsystems,” International Workshop on Advanced Solid-State Circuits, Kyoto Institute of Technology, June 20, 2015.

- NSF & Semiconductor Industry Association workshop on rebooting information technology, “Cubic millimeter sensor nodes,” keynote address, March 2015.
- *IEEE International Solid-State Circuits Conference (ISSCC)*, “Low Power Near-Threshold Design,” tutorial, February 2015.
- IEEE Solid-State Circuits Society, Singapore Chapter, 2-day short course, “Energy Efficient IC Design: Basics to State of Art,” July 2014.
- IEEE Solid-State Circuits Society, UAE chapter, “Ultra-low power IC design 101,” April 2014.
- Keynote speaker, “How to Design Nanowatt Microsystems,” *IEEE International Conference on Electronics, Circuits, and Systems*, Abu Dhabi, UAE, December 2013.
- Kyoto University, “Ultra low power system design challenges and solutions,” June 2013.
- Broadcom low-power forum speaker, “Energy efficient circuit design: research overview at University of Michigan,” April 2013.
- *IEEE International Solid-State Circuits Conference (ISSCC)*, “An Energy-Centric Design Approach to Achieve Nanowatt Microsystems,” Sunday night panelist, February 2013.
- Electrons to Electronics Symposium celebrating 65<sup>th</sup> birthday of Chenming Hu, “Towards Nanowatt Computing,” Berkeley, CA, December 2012.
- Stanford University, “Millimeter-Scale Computing,” December 2012.
- National University of Singapore, Electrical and Computer Engineering Department Seminar, “Enabling Millimeter-Scale Computing,” August 2012.
- Rice University ECE Colloquium, “Millimeter-Scale Computing,” November 2011.
- IEEE Central Texas Section Seminar, “Enabling Millimeter-Scale Computing,” September 2011.
- *IEEE International Solid-State Circuits Conference (ISSCC)*, “Ultra-low power design for WSN,” Sunday night panelist, February 2011.
- IEEE Circuits and Systems Forum on Emerging and Selected Topics (CAS-FEST), Variation-Aware Design for Nanoscale VLSI, “Mitigating variability in near-threshold computing,” Athens, Greece, December 2010.
- National Science Foundation Workshop on Interdisciplinary Challenges Beyond the Scaling Limits of Moore’s Law, “Enabling Ubiquitous Computing with Ultra-Low Power Integrated Circuits,” Arlington, VA, August 2010.
- Columbia University, “Enabling Ubiquitous Computing with Ultra-Low Power Integrated Circuits,” Dean’s Distinguished Lecture, April 2010.
- University of Illinois, “Circuit design advances for ultra-low power sensing platforms,” ECE Colloquium, April 2010.
- Michigan State University, “Low voltage circuits to enable widespread sensing applications,” East Lansing, MI, October 2009.
- University of Texas VLSI seminar series, “Circuit design advances for wireless sensing applications,” Austin, TX, September 2009.
- Panelist, “Steep slope or slippery slope,” *IEEE Device Research Conference*, State College, PA, June 2009.
- *IEEE International Solid-State Circuits Conference (ISSCC)*, “Device sizing for variability in energy constrained systems,” Low-voltage design forum speaker and panelist, February 2009.
- Electronic Design Systems Fair, System Design Forum, invited speaker, “Coping with variability in nanoscale CMOS: analyze, sense, correct, exploit,” Yokohama, Japan, January 2009.

- IBM Design Automation Professional Interest Community Seminar, “Extending nanoscale CMOS: analyze, sense, correct, and exploit,” Austin, TX, August 2008.
- Invited lecturer, EPFL summer school on Nanoelectronic Circuits and Tools, “Pushing nanoscale CMOS: Design-related challenges,” and “Extending nanoscale CMOS: analyze, sense, correct, and exploit,” Lausanne, Switzerland, July 2008.
- University of Waterloo, “Low-voltage circuit design for widespread sensing applications,” July 2008.
- UCLA Departmental Seminar Series in Electrical Engineering, “Energy-driven circuit design for ubiquitous sensing applications,” March 2008.
- Panelist, “Scaling the power wall,” *IEEE International Symposium on System-on-Chip*, Tampere, Finland, November 2007.
- IBM Experts Workshop on Low Voltage CMOS, “Highly parallel adaptive systems for low voltage operation,” Yorktown Heights, NY, November 2007.
- ST Microelectronics, “Low power circuit design research at the University of Michigan,” Crolles, France, November 2006.
- Panelist, “How deep is it in here? Will variation-aware analysis be the savior for the nanometer era?,” *ACM/IEEE Design Automation Conference*, July 2006.
- Intel Physical Verification and Physical Design (PVPD) research seminar, “Directions in low-power CAD,” Haifa, Israel, July 2006.
- University of Utah, “IC design at ultra-low supply voltages,” February 2006.
- Georgia Tech Electrical and Computer Engineering Departmental Seminar, “IC design at a crossroads: Enabling low-power and robust computing in nanometer CMOS,” November 2005
- International Conference on Computer-Aided Design, half-day tutorial co-presenter, “Gate characterization and modeling for 90nm and below,” November 2005.
- Cadence Design Systems Distinguished Speaker Series, “IC design at a crossroads: Enabling low-power and robust computing in nanometer CMOS,” October 2005.
- Panelist, Manufacturing for Design meets Design for Manufacturing Forum, Semiconductor Research Corporation, October 2005.
- Northwestern University Seminar Series in Computational Sciences, “New approaches to parametric yield estimation and dual-V<sub>th</sub> assignment,” October 2005.
- Invited lecturer, Mead Engineering short course, “Circuit design challenges in nanometer-scale CMOS,” Lausanne, Switzerland, July 2005.
- Semiconductor Research Corporation e-Workshop, “Multiple supply and threshold voltage design: guidelines, algorithms, and circuit solutions,” March 2005.
- Austin Center for Advanced Studies Annual Conference, “Parametric yield estimation considering power/performance correlation,” February 2005.
- Asia-South Pacific Design Automation Conference, full-day tutorial co-presenter, “Power-aware design for performance,” January 2005.
- International Symposium on Microarchitecture, full-day tutorial co-presenter, “Low-power robust computing,” December 2004.
- Sequence Design NanoCool Low-power Design Initiative Seminar Keynote, “New approaches to total power reduction including runtime leakage,” San Jose, CA, August 2004.
- Intel VLSI curriculum development two-day workshop, presenter, Hangzhou, China, and Penang, Malaysia, July 2004.

- Design Automation Conference, full-day tutorial co-presenter, "Getting Your 'Cool ASIC' Up to Speed: Practical Techniques and Tools to Achieve Custom-like Performance in a Power-Aware Design Flow," June 2004.
- Synopsys technology offsite, "EDA and Design Challenges with 45nm Devices," Half Moon Bay, CA, May 2004.
- *IEEE Annual Workshop on Interconnections within High-Speed Digital Systems*, "Modeling and characterization of chip-level metal interconnects," Santa Fe, NM, May 2004.
- Panelist, "Buffering and Agony: What does the Future Hold?" *ACM/IEEE International Symposium on Physical Design*, Phoenix, AZ, April 2004.
- University of California, Berkeley, Distinguished Lecture Series, "IC Design at a Crossroads: Enabling Low-Power and Robust Computing in Nanometer CMOS," April 2004.
- University of Texas, Austin VLSI seminar series, "New Approaches to Total Power Reduction Including Runtime Leakage," March 2004.
- IBM Austin Research Laboratories and T.J. Watson Research Center, "Multi-Vdd/Vth Design Space and Early Algorithmic Results," Austin, TX and Yorktown Heights, NY, August 2003.
- Advanced Micro Devices, "Minimum Cost of Correction and Related Design for Value Topics," Sunnyvale, CA, July 2003.
- Panelist, "Judgment Day for Power Management," *IEEE VLSI Symposium on Circuits*, joint panel with *IEEE VLSI Symposium on Technology*, Kyoto, Japan, June 2003.
- Fujitsu Laboratories, "Multi-Vdd/Vth Design and Interconnect Tuning Strategies," Tokyo, Japan, June 2003.
- Mentor Graphics, "Towards Performance-driven Reduction of the Cost of RET-based Lithography Control," Wilsonville, OR, May 2003.
- Cypress Semiconductor, "Low-power Design for Global Interconnects and Dual-Supply Systems," San Jose, CA, March 2003.
- Panelist, 2002 International Technology Roadmap for Semiconductors conference, "Challenges and opportunities for a low-power roadmap in consistence with ITRS CMOS scaling," San Francisco, CA, July 2002.
- IEEE Solid-State Circuits Society Kansai Chapter technical seminar, "High Performance Design in Nanometer Technologies," Kyoto, Japan, May 2002.
- Hitachi Central Research Laboratories, "High Performance Design in Nanometer Technologies," Tokyo, Japan, May 2002.
- Sequence Design NanoCool Low-power Design Initiative Seminar Keynote, "Power-driven Challenges in Nanometer Design," Ottawa, Canada, May 2002.
- Intel Physical Design Symposium, "Global Signaling Strategies for Nanometer CMOS," Santa Clara, CA, April 2002.
- University of California, Berkeley Electronics System Design (ESD) Seminar, "Global Signaling Strategies for Nanometer CMOS," April 2002.
- International Conference on Computer-Aided Design, full-day tutorial co-presenter, "Electrical Integrity Design and Verification for Digital and Mixed-Signal Systems-on-a-chip," November 2001.
- NEC Computers and Communications Research Labs (CCRL), "Approaches to Noise-Aware Static Timing Analysis," Princeton, NJ, December 2000.
- International Conference on Computer-Aided Design, full-day tutorial co-presenter, "Interconnect-centric Design and Analysis for Electrical Integrity in Systems-on-a-chip," November 2000.

- University of California, Berkeley Solid-State Technology and Device Seminar, “Insights on Deep Submicron Design: An EDA Perspective,” January 2000.
- Fabless Semiconductor Association Modeling Workshop, “The Role of Interconnect in System-Level Performance: Delay, Power, Noise,” invited tutorial, San Jose, CA, May 1999
- IEEE Electron Devices Society Summer Symposium, “Interconnect Scaling: Signal Integrity and Performance in Future High-Speed CMOS Designs,” Santa Clara, CA, June 1998

## Patents

### *Patents Issued*

1. Dennis Sylvester and Himanshu Kaul, “Transition-aware signaling,” US patent 6,870,402, March 22, 2005.
2. Dennis Sylvester, Himanshu Kaul, and David Blaauw, “Actively shielded signal wires,” US patent 6,919,619, July 19, 2005.
3. Trevor Mudge, Todd Austin, David Blaauw, Dennis Sylvester, and Krisztian Flautner, “Memory system having fast and slow data reading mechanisms,” US patent 6,944,067, September 13, 2005.
4. Todd Austin, David Blaauw, Trevor Mudge, Dennis Sylvester, and Krisztian Flautner, “Memory system having fast and slow data reading mechanisms,” US patent 7,072,229, July 4, 2006.
5. Andrew B. Kahng, Puneet Gupta, Dennis Sylvester, and Jie Yang, “Method for correcting a mask layout,” US patent 7,149,999, December 12, 2006.
6. Andrew B. Kahng, Puneet Gupta, Dennis Sylvester, and Jie Yang, “Method for correcting a mask layout,” US patent 7,614,032, November 3, 2009.
7. Gregory Chen, Dennis Sylvester, and David Blaauw, “Integrated circuit memory access mechanisms,” US patent 7,864,562, January 4, 2011.
8. Andrew B. Kahng, Puneet Gupta, Dennis Sylvester, and Jie Yang, “Tool for modifying mask design layout,” US patent 8,103,981, January 24, 2012.
9. Yoonmyung Lee, Michael Wiecekowsky, David Blaauw, and Dennis Sylvester, “Memory cell structure, a memory device employing such a memory cell structure, and an integrated circuit having such a memory device,” US patent 8,107,290, January 31, 2012.
10. Sudhir Satpathy, David Blaauw, Trevor Mudge, Dennis Sylvester, and Ron Dreslinski, “Crossbar circuitry and method of operation of such crossbar circuitry,” US patent 8,108,585, January 31, 2012.
11. Sudhir Satpathy, David Blaauw, Trevor Mudge, and Dennis Sylvester, “Crossbar circuitry and method of operation of such crossbar circuitry,” US patent 8,230,152, July 24, 2012.
12. Sudhir Satpathy, David Blaauw, Trevor Mudge, and Dennis Sylvester, “Crossbar circuitry for applying a pre-selection prior to arbitration between transmission requests and method of operation of such crossbar circuitry,” US patent 8,255,610, August 28, 2012.
13. Matthew Fojtik, Dennis Sylvester, David Blaauw, David Fick, “Stalling synchronization circuits in response to a late data signal,” US patent 8,276,014, September 25, 2012.
14. Ronald Dreslinski, Greg Chen, Trevor Mudge, David Blaauw, Dennis Sylvester, “Cache memory system for a data processing apparatus,” US patent 8,335,122, December 18, 2012.
15. David Fick, Ronald Dreslinski, Trevor Mudge, David Blaauw, and Dennis Sylvester, “Vertical interconnect patterns in multi-layer integrated circuits,” US patent 8,381,155, February 19, 2013.
16. David Blaauw, Dennis Sylvester, David Fick, Stuart Biles, Michael Wiecekowsky, Scott Hanson, Gregory Chen, “Operating parameter control of an apparatus for processing data,” US patent 8,407,025, March 26, 2013.
17. Greg Chen, Dennis Sylvester, and David Blaauw, “Integrated circuit memory power supply,” US patent 8,526,261, September 3, 2013.
18. Sudhir Satpathy, David Blaauw, Trevor Mudge, Dennis Sylvester, “Crossbar circuitry for applying an adaptive priority scheme and method of operation of such crossbar circuitry,” US patent 8,549,207, October 1, 2013.

19. Mingoo Seok, Dennis Sylvester, David Blaauw, Scott Hanson, and Gregory Chen, "Reference voltage generator having a two transistor design," US patent 8,564,275, October 22, 2013.
20. Sudhir Satpathy, David Blaauw, and Dennis Sylvester, "Apparatus and method for transferring a data signal propagated along a bidirectional communication path within a data processing apparatus," US patent 8,713,232, April 29, 2014.
21. Sudhir Satpathy, David Blaauw, Dennis Sylvester, and Trevor Mudge, "Crossbar circuitry for applying an adaptive priority scheme and method of operation of such crossbar circuitry," US patent 8,868,817, October 21, 2014.
22. Nurrachman Liu, Scott Hanson, Nathaniel Pinkney, David Blaauw, and Dennis Sylvester, "Randomized value generation," US patent 8,930,427, January 6, 2015.
23. Bharan Giridhar, David Blaauw, Dennis Sylvester, "Memory sense amplifier with multiple modes of operation," US patent 9,036,405, May 19, 2015.
24. Yejoong Kim, Michael Henry, Dennis Sylvester, and David Blaauw, "Static signal value storage circuitry using a single clock signal," US patent 9,065,431, June 23, 2015.
25. Nurrachman Liu, Scott Hanson, Nathaniel Pinckney, David Blaauw, and Dennis Sylvester, "Randomized value generation," US patent 9,075, 675, July 7, 2015.
26. Scott Hanson, Dennis Sylvester, and David Blaauw, "Low power reference current generator with tunable temperature sensitivity," US patent 9,147,443, September 29, 2015.
27. Sechang Oh, Wanyeong Jung, David Blaauw, and Dennis Sylvester, "Multi-dimensional array of impedance elements," US patent 9,231,546, January 5, 2016.
28. Baran Giridhar, David Blaauw, and Dennis Sylvester, "Memory circuitry including read voltage boost," US patent 9,275,702, March 1, 2016.
29. Kaiyuan Yang, Dennis Sylvester, David Blaauw, David Fick, Michael Henry, and Yoonmyung Lee, "True random number generator," US patent 9,335,972, May 10, 2016.
30. David Blaauw, Dennis Sylvester, Seok Hyeon Jeong, "Low power oscillator with charge subtraction scheme," US patent 9,385,692, July 5, 2016.
31. Inhee Lee, Yoonmyung Lee, Dennis Sylvester, and David Blaauw, "Electronic device with supervisor circuit for detecting resistance parameter of an energy storage device," US patent 9,429,627, August 30, 2016.
32. Takewang Jang, Dennis Sylvester, and David Blaauw, "Oscillator regulation circuitry and method," US patent 9,490,744, November 8, 2016.
33. Bharan Giridhar, Matthew Fojtik, David Fick, Dennis Sylvester, and David Blaauw, "Dynamic circuitry using pulse amplification to reduce metastability," US patent 9,490,779, November 8, 2016.
34. Mahmood Khayatzadeh, Massimo Alioto, David Blaauw, Dennis Sylvester, and Fakhruddin Bohra, "Integrated circuit using topology configurations," US patent 9,589,601, March 7, 2017.
35. Mohammad Hassan Ghaed, Skylar Skrzyniarz, David T. Blaauw, Dennis Sylvester, "Protocol for an electronic device to receive a data packet from an external device," US patent 9,635,147, April 25, 2017.
36. Yejoong Kim, Dennis Sylvester, David T. Blaauw, Brian Cline, "Measurement circuitry and method for measuring a clock node to output node delay of a flip-flop," US patent 9,638,752, May 2, 2017.
37. David T. Blaauw, Dennis Sylvester, Myungjoon Choi, Inhee Lee, Taekwang Jang, "Ultra low power temperature insensitive current source with line and load regulation," US patent 9,639,107, May 2, 2017.
38. Y-P. Chen, Y. Lee, J-Y. Sim, M. Alioto, D. Sylvester, D. Blaauw, "Electrostatic discharge clamp circuit for ultra-low power applications," US patent 9,716,381, July 25, 2017.
39. Laura Fick, David Blaauw, Dennis Sylvester, Michael B. Henry, David Fick, "Floating-gate transistor array for performing weighted sum computation," US patent 9,760,533, September 12, 2017.
40. Xiao Wu, David Blaauw, Dennis Sylvester, "Moving-sum charge pump," US patent 9,800,143, October 24, 2017.
41. Kaiyuan Yang, David Blaauw, Dennis Sylvester, "Physically unclonable function design," US patent 9,966,954, May 8, 2018.

42. Wanyeong Jung, Sechang Oh, Suyoung Bang, Yoonmyung Lee, Dennis Sylvester, David Blaauw, "Self-oscillating switched-capacitor DC-DC converter," US patent 9,979,284, May 22, 2018.
43. Mahmmud Khayatzaeh, Massimo Alioto, David Blaauw, Dennis Sylvester, Fakhruddin Bohra, "Integrated circuit using topology configurations," US patent 10,056,121, August 21, 2018.
44. Wanyeong Jung, Dennis Sylvester, David Blaauw, "Rational conversion ratio converter," US patent 10,181,788, January 15, 2019.
45. Myungjoon Choi, Dennis Sylvester, David Blaauw, "Environmental sensor," US patent 10,254,173, April 9, 2019.
46. David Blaauw, Zhiyoong Foo, Gyouho Kim, Qing Dong, Dennis Sylvester, "Intraocular pressure sensor with improved voltage reference circuit," US patent 10,285,590, May 14, 2019.
47. Qing Dong, David Blaauw, Dennis Sylvester, "Variation-tolerant voltage reference," US patent 10,310,537, June 4, 2019.
48. Jeongsup Lee, Mehdi Saligane, David Blaauw, Dennis Sylvester, "Level converter circuitry," US patent 10,326,449, June 18, 2019.
49. Xiao Wu, David Blaauw, Dennis Sylvester, "Energy harvester," US patent 10,476,382, November 12, 2019.

## Students

### *Ph.D. committees chaired:*

<b>Name</b>	<b>Project Area</b>	<b>Graduation/Status</b>
Kanak Agarwal	On-chip interconnect modeling	2004 (IBM)
Himanshu Kaul	Global signaling strategies for nanometer VLSI	2004 (Intel)
Ashish Srivastava	Statistical CAD tools for low power	2005 (Cadence)
Sarvesh Kulkarni	Multi-voltage CAD and design	2006 (Intel)
Matt Guthaus	On-chip clock network optimization (co-chair)	2006 (UC-Santa Cruz)
Harmander Singh	Robust low-power design techniques	2006 (Intel)
Youngmin Kim	Exploiting design-process interactions	2007 (Kwangwoon Univ, Korea)
Saumil Shah	Parametric yield optimization tools	2007 (Synopsys)
Jie Yang	Design for manufacturability	2007 (Apple)
Eric Karl	Dynamic reliability management (co-chair)	2008 (Intel)
Yu-Shiang Lin	Ultra-low energy communication/computation	2008 (TSMC)
Scott Hanson	Circuits for cubic millimeter computing	2008 (Ambiq Micro)
Jae-Sun Seo	Circuits for fast on-chip global signaling	2009 (Arizona St Univ)
Vineeth Veetil	Fast Monte Carlo-based statistical CAD	2010 (Deepview.ai)
Mingoo Seok	Extreme power-constrained IC design	2010 (Columbia)
Greg Chen	Millimeter-scale sensing systems	2011 (Intel)
Vivek Joshi	Variability-driven CAD	2011 (GLOBALFOUNDRIES)
Daeyeon Kim	Robust low-voltage memories	2012 (Intel)
Eric Marsman	Low power microcontrollers (co-chair)	2012 (Ford)
Dave Fick	3D energy efficient computing (co-chair)	2012 (Mythic)
Matthew Fojtik	Adaptive error-correcting circuit design	2013 (Nvidia)
M. Hassan Ghaed	Wireless communication in implantable devices	2013 (Amazon)
Gyouho Kim	CMOS imaging in sensor nodes (co-chair)	2014 (CubeWorks)
Dongsuk Jeon	Energy efficient signal processing for VLSI	2014 (Seoul National Univ)

Inyong Kwon	Analog circuits for radiological sensing (co-chair)	2015 (Stanford)
Suyoung Bang	Power management at nW scale	2016 (Intel)
Yen-Po Chen	Low power analog building blocks	2016 (Maxim)
Laura Fick	Low power embedded non-volatile memory	2016 (Mythic)
Sechang Oh	Capacitance-to-digital conversion	2016 (Michigan)
Seok Hyeon Jeong	Ultra-low power timers	2016 (CubeWorks)
Kaiyuan Yang	Circuits for security applications	2017 (Rice University)
Qing Dong	Low power memory design	2017 (TSMC)
Myungjoon Choi	Low power mixed-signal building blocks	2018 (Apple)
Yiqun Zhang	Hardware security accelerators	2018 (Samsung)
Jingcheng Wang	Low power memories	2019 (Apple)
Minchang Cho	Low power DSP	Candidate (expected 08/20)
Jeongsup Lee	Variation-aware circuit design	Candidate (expected 08/20)
Jongyup Lim	Ultra-low power circuits and systems	Candidate (expected 05/21)
Li Xu	Microrobotics	Pre-candidate (expected 05/21)
Jihwan Seol	Circuit timing elements	Pre-candidate (expected 05/22)
Hyochan Ah	Imaging sensor nodes	Pre-candidate (expected 05/22)
Qirui Zhang	TBD	Pre-candidate (expected 05/23)
Yimai Peng	TBD	Pre-candidate (expected 05/23)
Zichen Fan	TBD	Pre-candidate (expected 05/24)

*M.S. students supervised:*

Robert Bai	Level-converting flip-flops for dual-V <sub>dd</sub> CMOS	2003 (UBS bank)
Tejasvi Kachru	Statistical timing analysis of sequential elements	2006 (AMD)
Michelle Chang	Fast CAD algorithms using multi-processing	2010 (Peak6)
Mahmood Barangi	Low-power analog/digital conversion	2011 (Apple)
Allan Wang	Fast voltage level conversion (co-chair)	2014

*Ph.D. committees served on:*

Puneet Gupta	Design-manufacturing interface	2006 (University of California, San Diego)
Bulusu Anand	DTMOS for scaled low-voltage circuits	2006 (External examiner, Indian Institute of Tech., Bombay)
Ahmed Youssef	Power management for microprocessors	2008 (External examiner, University of Waterloo)
Javid Jaffari	Statistical timing analysis	2010 (External examiner, University of Waterloo)
Do Anh Tuan	Low voltage SRAM	2010 (External examiner, Nanyang Technological University)
Dandan Chen	Receivers for optical communication systems	2011 (External examiner, Nanyang Technological University)



Xiang Yi	mm-wave CMOS PLLs	2013 (External examiner, Nanyang Technological University)
Stevan Vlaovic	x86 microarchitecture performance simulation	2002
Mikhail Smelyanskiy	Approaches to efficient software pipelining	2003
Koushik Das	Robust low-power circuits in PD-SOI	2003
Nam Sung Kim	Low-power cache architecture and design	2004
Conrad Zeisler	Energy recovering pipelines	2004
Saurabh Adya	Algorithms for VLSI layout design	2004
Rahul Rao	Low-power SOI VLSI design	2004
Erik Hallnor	Advanced cache architectures	2004
Aseem Agarwal	Statistical static timing analysis	2005
David Oehmke	Novel register file architectures	2005
Daniel Ernst	Virtual global communication	2005
Dongwoo Lee	Leakage current analysis and reduction	2005
R. Venkatasubramanium	Fault detection in wireless networks	2005
Alan Drake	Local resonant clocking for low-power	2005
Jay Sivagnaname	Pseudo-NMOS SOI circuit design	2005
Leyla Nazhandali	Architecture for sensor networks	2006
Allen Cheng	Application specific instruction sets	2006
Jia-Yi Chen	Low-power wireless transceivers	2006
Rajeev Rao	Uncertainty-aware CAD tools	2006
Sunghyun Park	High-speed analog/digital converters	2006
Maher Mneimneh	Microprocessor verification	2006
Michael Geiger	Region-based caching	2006
Rajiv Ravindran	Compiler-driven memory power optimization	2007
Yoonna Oh	Constructive logic and layout synthesis	2007
Bo Zhai	Ultra-low power processors and memories	2007
Mini Nanua	Circuit modeling for signal integrity	2007
Taeho Kgil	Energy efficient servers using 3D integration	2007
Robert Senger	Micropower ASIC design techniques	2007
Sanjay Pant	On-chip power distribution networks	2008
Junyoung Park	High-speed CMOS serial links	2008
Jeff Ringenberg	Benchmarking for future microarchitectures	2008
Mark Ferriss	Low-power transmitters for sensor networks	2008
Debbie Marr	Simultaneous multithreading microarchitectures	2008
Stephen Plaza	Hierarchical logic synthesis and verification	2008
Kaviraj Chopra	Statistical CAD: Analysis and optimization	2008
Yuan Lin	Software-defined radio	2008
Smita Krishnaswamy	Design and test of logic circuits under uncertainty	2008
Carlos Tokunaga	Circuit design for security applications	2008
Jaeyoung Kang	Successive-approximation ADCs	2008

Shidhartha Das	Variation-tolerant circuit design	2009
Ali Saidi	Full-system critical path analysis	2009
Shahrzad Naraghi	Analog/digital converters	2009
Jarrold Roy	Placement and routing in nanometer CMOS	2009
Ravi Gandikota	Crosstalk noise analysis in VLSI	2009
Lisa Hsu	Cache resource allocation in multiprocessors	2009
Chun Chieh Lee	Low-power analog/digital converters	2009
Brian Cline	Design for manufacturability	2010
David Papa	Physical synthesis tools	2010
Cheng Zhuo	CAD for reliability	2010
David Roberts	Fault-tolerant architectures	2010
Geoffrey Blake	Transactional memory	2011
Rach Liu	Integrated circuits for security	2011
Amir Hormati	Compilers for streaming applications	2011
Youngmin Park	Synthesizing analog/RF designs	2011
Prashant Singh	Reliability monitoring for nanoscale CMOS	2011
Ron Dreslinski	Low power microarchitecture	2011
Razi ul-Haque	Implantable microsystem design	2011
Dongjin Lee	Clock network optimization	2011
Wei-Hsiang Ma	Resonant clocking	2011
Sudhir Satpathy	High-performance crossbar interconnect	2012
Yoonmyung Lee	Ultra-low power circuits for mm <sup>3</sup> systems	2012
Biju Edamana	Control strategies for micro-robots	2012
Korey Sewell	Architectures for network processors	2012
Jonathan Brown	Receivers for wireless sensor nodes	2012
Jorge Pernillo	High-speed analog/digital converters	2012
Seunghyun Oh	Wireless body area networks	2013
Kuo-Ken Huang	Low power radios	2013
Bharan Giridhar	High performance circuits and SRAM	2014
Inhee Lee	Power management circuits for sensor nodes	2014
Dongmin Yoon	Low power analog circuits for wireless sensing	2015
Prateek Tandon	Hardware acceleration	2015
Nathaniel Pinckney	Near-threshold computing	2015
Bill Arthur	Control flow security	2016
Jaeyoung Kim	Wireless sensors for biomedical	2016
Supreet Jeloka	Cross-point circuits	2017
David Moore	Analog VLSI	2018
Wootae Lim	Ultra-low power circuits	2018

*Postdoctoral scholars supervised:*

Dr. Mike Wieckowski Low-voltage memory and voltage regulators 2007 - 2010

Dr. Scott Hanson	Ultra-low power microcontrollers	2009 - 2010
Dr. David Fick	Energy efficient VLSI design	2012 - 2014
Dr. M. Khayatzadeh	Error resilient circuits	2013 – 2014
Dr. Gyouho Kim	Sensor node integration	2014 – 2016
Dr. Mehdi Saligane	Adaptive circuits	2016 – present
Dr. Se-Un Shin	Power management	2018 – 2019

## Professional and Honor Societies

- Fellow, Institute of Electrical and Electronics Engineers (IEEE)
- Member, Association for Computing Machinery (ACM)
- Member, Eta Kappa Nu (HKN)

## Publications

h-index = 81, total citations = 23686 (Google Scholar, March 2020)

### *Books and book chapters*

1. A. Srivastava, D. Sylvester, and D. Blaauw, *Statistical Analysis and Optimization for VLSI: Timing and Power*, Springer Publishers, New York, 2005.
2. D. Lee, B. Zhai, D. Blaauw, and D. Sylvester, “Static leakage reduction through simultaneous Vt/Tox and state assignment,” in *Ultra Low-Power Electronics and Design*, E. Macii, Ed. Kluwer Academic Publishers, Boston, 2004.
3. L. Stok, R. Puri, S. Bhattacharya, J. Cohn, D. Sylvester, A. Srivastava, and S.H. Kulkarni, “Pushing ASIC performance in a power envelope,” in *Closing the Power Gap Between ASIC and Custom*, D. Chinnery and K. Keutzer, ed., Springer Publishers, New York, 2007.
4. S.H. Kulkarni, A. Srivastava, D. Sylvester, and D. Blaauw, “Power optimization techniques using multiple supply voltages,” in *Closing the Power Gap Between ASIC and Custom*, D. Chinnery and K. Keutzer, ed., Springer Publishers, New York, 2007.
5. S. Oh, Y. Shi, G. Kim, Y. Kim, T. Kang, S. Jeong, D. Sylvester, and D. Blaauw, “Low-Power Resistive Bridge Readout Circuit Integrated in Two Millimeter-Scale Pressure-Sensing Systems,” in *Low-Power Analog Techniques, Sensors for Mobile Devices, and Energy Efficient Amplifiers*, K.A.A. Makinwa, A. Baschirotto, and P. Harpe, ed. Springer Publishers, New York, 2018.

### *Journal publications*

6. Y. Peng, K.D. Choo, S. Oh, I. Lee, T. Jang, Y. Kim, J. Lim, D. Blaauw, and D. Sylvester, “An efficient piezoelectric energy harvesting interface circuit using a sense-and-set rectifier,” *IEEE Journal of Solid-State Circuits*, pp. 3348-3361, December 2019.
7. J. Lee, Y. Zhang, Q. Dong, W. Lim, M. Saligane, Y. Kim, S-H. Jeong, J. Lim, M. Yasuda, S. Miyoshi, M. Kawaminami, D. Blaauw, and D. Sylvester, “A self-tuning IoT processor using leakage-ratio measurement for energy-optimal operation,” accepted for publication in *IEEE Journal of Solid-State Circuits*.
8. K.D. Choo, L. Xu, Y. Kim, J-H Seol, X. Wu, D. Sylvester, and D. Blaauw, “Energy-efficient motion-triggered IoT CMOS image sensor with capacitory array-assisted charge-injection SAR ADC,” *IEEE Journal of Solid-State Circuits*, pp. 2921-2931, November 2019.

9. J. Wang, X. Wang, C. Eckert, A. Subramaniyan, R. Das, D. Blaauw, and D. Sylvester, "A 28-nm Compute SRAM with bit-serial logic/arithmetic operations for programmable in-memory vector computing," accepted for publication in *IEEE Journal of Solid-State Circuits*.
10. C. Eckert, X. Wang, J. Wang, A. Subramaniyan, R. Iyer, D. Sylvester, D. Blaauw, and R. Das, "Neural cache: bit-serial in-cache acceleration of deep neural networks," *IEEE Micro*, May/June 2019. [**Computer Architecture Top Picks for 2018**]
11. S. Oh, D. Sylvester, and D. Blaauw, "The Internet of Tiny Things (IoT<sup>2</sup>): Recent advances of millimeter-scale computers," *IEEE Design & Test*, February 2019.
12. T. Jang, J. Lim, K. Choo, S. Nason, J. Lee, S. Oh, C. Chestek, D. Sylvester, and D. Blaauw, "A noise-efficient neural recording amplifier using discrete-time parametric amplification," *IEEE Solid-State Circuits Letters*, February 2019.
13. Z. Li, J. Wang, D. Sylvester, D. Blaauw, and H.S. Kim, "A 1920x1080 25fps 2.4 TOPS/W low-power 6D vision processor for unified optical flow and stereo depth with semi-global matching," *IEEE Journal of Solid-State Circuits*, pp. 1048-1058, April 2019.
14. N. Le Ba, S. Oh, D. Sylvester, and T.T. Kim, "A 256 pixel, 21.6uW infrared gesture recognition processor for smart devices," *Microelectronics Journal*, pp. 49-56, April 2019.
15. J. Jeong, S-H. Jeong, D. Sylvester, D. Blaauw, C. Kim, "A 42nJ/conversion on-demand state-of-charge indicator for miniature IoT Li-ion batteries," *IEEE Journal of Solid-State Circuits*, pp. 524-537, February 2019.
16. A.T. Do, S.M.A. Zeinolabedin, D. Jeon, D. Sylvester, and T.T. Kim, "An area-efficient 128-channel spike sorting processor for real-time neural recording with 0.175 $\mu$ W in 65nm CMOS," *IEEE Transactions on VLSI Systems*, pp. 126-137, January 2019.
17. Q. Dong, Z. Wang, J. Lim, Y. Zhang, Y-C. Shih, Y-D. Chih, J. Chang, D. Blaauw, and D. Sylvester, "A 1Mb 28nm STT-MRAM with 2.8ns read access time at 1.2V VDD using single-cap offset-cancelled sense amplifier and in-situ self-write-termination," *IEEE Journal of Solid-State Circuits*, pp. 231-239, January 2019.
18. M. Shah, S. Arunachalam, J. Wang, D. Blaauw, D. Sylvester, H-S. Kim, J-S. Seo, and C. Chakrabarti, "A fixed-point neural network architecture for speech applications on resource constrained hardware," *Journal of Signal Processing Systems*, pp. 727-741, May 2018.
19. Q. Dong, S. Jeloka, M. Saligane, Y. Kim, M. Kawaminami, A. Harada, S. Miyoshi, M. Yasuda, D. Blaauw, D. Sylvester, "A 4+2T SRAM for searching and in-memory computing with 0.3-V VDDmin," *IEEE Journal of Solid-State Circuits*, pp. 1006-1015, April 2018.
20. Y. Zhang, L. Xu, Q. Dong, J. Wang, D. Blaauw, and D. Sylvester, "Recryptor: A reconfigurable cryptographic Cortex-M0 processor with in-memory and near-memory computing for IoT security," *IEEE Journal of Solid-State Circuits*, pp. 995-1005, April 2018.
21. Y. Zhang, M. Khatyazadeh, K. Yang, M. Saligane, N. Pinckney, M. Alioto, D. Blaauw, and D. Sylvester, "iRazor: current-based error detection and correction for PVT variation tolerance in 40nm ARM Cortex-R4 processor," *IEEE Journal of Solid-State Circuits*, pp. 619-631, February 2018.
22. T. Jang, S. Jeong, D. Jeon, K.D. Choo, D. Sylvester, and D. Blaauw, "A noise reconfigurable all-digital phase-locked loop using a switched capacitor-based frequency-locked loop and a noise detector," *IEEE Journal of Solid-State Circuits*, pp. 50-65, January 2018.
23. Z. Li, Q. Dong, M. Saligane, B. Kempke, L. Yao, Z. Zhang, R. Dreslinski, D. Sylvester, D. Blaauw, and H-S. Kim, "A 1920x1080 30fps 2.3TOPS/W stereo depth processor for energy-efficient autonomous navigation of micro aerial vehicles," *IEEE Journal of Solid-State Circuits*, pp. 76-90, January 2018.

24. S.H. Jeong, T.K. Jang, J. Tsai, D. Blaauw, H.S. Kim, and D. Sylvester, "Always-on 12nW acoustic sensing and object recognition microsystem for unattended ground sensor nodes," *IEEE Journal of Solid-State Circuits*, pp. 261-274, January 2018.
25. X. Wu, K. Choo, Y. Shi, L.-X. Chuo, D. Sylvester, and D. Blaauw, "A fully integrated counter flow energy reservoir for peak power delivery in small form-factor sensor systems," *IEEE Journal of Solid-State Circuits*, pp. 3155-3168, December 2017.
26. K. Yang, D. Blaauw, and D. Sylvester, "Hardware designs for security in ultra-low-power IoT systems – An overview and survey," *IEEE Micro*, pp. 72-89, November 2017.
27. T. Jang, G. Kim, B. Kempke, M.B. Henry, N. Chiotellis, C. Pfeiffer, D. Kim, Y. Kim, Z. Foo, H. Kim, A. Grbic, D. Sylvester, H-S. Kim, D.D. Wentzloff, and D. Blaauw, "Circuit and system designs of ultra-low power sensor nodes with illustration in a miniaturized GNSS logger for position tracking: Part I – analog circuit techniques," *IEEE Transactions on Circuits and Systems I: Regular Papers*, pp. 2237-2249, September 2017.
28. T. Jang, G. Kim, B. Kempke, M.B. Henry, N. Chiotellis, C. Pfeiffer, D. Kim, Y. Kim, Z. Foo, H. Kim, A. Grbic, D. Sylvester, H-S. Kim, D.D. Wentzloff, and D. Blaauw, "Circuit and system designs of ultra-low power sensor nodes with illustration in a miniaturized GNSS logger for position tracking: Part II – data communication, energy harvesting, power management, and digital circuits," *IEEE Transactions on Circuits and Systems I: Regular Papers*, pp. 2250-2262, September 2017.
29. K. Yang, M. Hicks, Q. Dong, T. Austin, and D. Sylvester, "Exploiting the analog properties of digital circuits for malicious hardware," *Communications of the ACM (Research Highlights)*, pp. 83-91, September 2017.
30. I. Lee, S. Bang, Y. Kim, G. Kim, D. Sylvester, D. Blaauw, and Y. Lee, "A wire-overhead-free reset propagation scheme for millimeter-scale sensor systems," *Journal of Semiconductor Technology and Science*, pp. 524-533, August 2017.
31. D. Jeon, Q. Dong, Y. Kim, X. Wang, S. Chen, H. Yu, D. Blaauw, and D. Sylvester, "A 23mW face recognition processor with mostly-read 5T memory in 40nm CMOS," *IEEE Journal of Solid-State Circuits*, pp. 1628-1642, June 2017.
32. I. Lee, D. Sylvester, and D. Blaauw, "A subthreshold voltage reference with scalable output voltage for low-power IoT systems," *IEEE Journal of Solid-State Circuits*, pp. 1443-1449, May 2017.
33. X. Wu, D. Sylvester, and D. Blaauw, "A 20pW Discontinuous Switched-Capacitor Energy Harvester for Smart Sensor Applications," *IEEE Journal of Solid-State Circuits*, pp. 972-984, April 2017.
34. M. Shim, S-H. Jeong, P. Myers, S. Bang, C. Kim, D. Sylvester, D. Blaauw, and W. Jung, "Edge-pursuit comparator: an energy-scalable oscillator collapse-based comparator," *IEEE Journal of Solid-State Circuits*, pp. 1077-1090, April 2017.
35. N. Pinckney, L. Shifren, B. Cline, S. Sinha, S. Jeloka, R. Dreslinski, T. Mudge, D. Sylvester, and D. Blaauw, "Impact of FinFET on near-threshold voltage scalability," *IEEE Design & Test*, pp. 31-38, March/April 2017.
36. M. Choi, T. Jang, J. Jeong, S. Jeong, D. Blaauw, and D. Sylvester, "A resonant current-mode wireless power receiver and battery charger with -32 dBm sensitivity for implantable systems," *IEEE Journal of Solid-State Circuits*, pp. 2880-2892, December 2016.
37. Shah, M., Arunachalam, S., Wang, J., Blaauw, D., Sylvester, D., Kim, H. S., Chakrabarti, C. (2016). A Fixed-Point Neural Network Architecture for Speech Applications on Resource Constrained Hardware. *Journal of Signal Processing Systems*, pp. 1-15. DOI: [10.1007/s11265-016-1202-x](https://doi.org/10.1007/s11265-016-1202-x)
38. I. Lee, S. Bang, Y. Lee, Y. Kim, G. Kim, D. Sylvester, and D. Blaauw, "Battery voltage supervisors for miniature IoT systems," *IEEE Journal of Solid-State Circuits*, pp. 2743-2756, November 2016.

39. M. Choi, T. Jang, S. Bang, Y. Shi, D. Blaauw, and D. Sylvester, "A 110nW resistive frequency locked on-chip oscillator with 34.3 ppm/°C temperature stability for system-on-chip designs," *IEEE Journal of Solid-State Circuits*, pp. 2106-2118, September 2016.
40. Y. Lee, D. Blaauw, and D. Sylvester, "Ultra-Low Power Circuit Design for Wireless Sensor Nodes for Structural Health Monitoring," *Proceedings of the IEEE*, pp. 1529-1546, August 2016.
41. F. Frustaci, D. Blaauw, D. Sylvester, and M. Alioto, "Approximate SRAMs with dynamic energy-quality management," *IEEE Transactions on VLSI Systems*, pp. 2128-2141, June 2016.
42. S. Bang, J-S. Seo, L. Chang, D. Blaauw, and D. Sylvester, "A low ripple switched-capacitor voltage regulator using flying capacitance dithering," *IEEE Journal of Solid-State Circuits*, pp. 919-929, April 2016.
43. S. Jeloka, N. Akesh, D. Sylvester, and D. Blaauw, "A 28nm configurable memory (TCAM / BCAM / SRAM) using push-rule 6T bit cell enabling logic-in-memory," *IEEE Journal of Solid-State Circuits*, pp. 1009-1021, April 2016.
44. K. Yang, D. Blaauw, and D. Sylvester, "An all-digital edge racing true random number generator robust against PVT variations," *IEEE Journal of Solid-State Circuits*, pp. 1022-1031, April 2016.
45. I. Lee, D. Sylvester, and D. Blaauw, "A constant energy per cycle ring oscillator over wide frequency range for wireless sensor nodes," *IEEE Journal of Solid-State Circuits*, pp. 697-711, March 2016.
46. D. Yoon, T. Jang, D. Sylvester, and D. Blaauw, "A 5.58nW crystal oscillator using pulsed driver for real-time clocks," *IEEE Journal of Solid-State Circuits*, pp. 509-522, February 2016.
47. S. Bang, A. Wang, B. Giridhar, D. Blaauw, and D. Sylvester, "A successive-approximation switched-capacitor DC-DC converter with resolution of  $V_{IN}/2^N$  for a wide range of input and output voltages," *IEEE Journal of Solid-State Circuits*, pp. 543-556, February 2016.
48. S-H. Jeong, I. Lee, D. Blaauw, and D. Sylvester, "A 5.8nW CMOS wake-up timer for ultra-low power wireless applications," *IEEE Journal of Solid-State Circuits*, pp. 1754-1763, August 2015.
49. S. Oh, Y. Lee, J. Wang, Z. Foo, Y. Kim, D. Blaauw, and D. Sylvester, "Dual-slope capacitance to digital converter integrated in an implantable pressure sensing system," *IEEE Journal of Solid-State Circuits*, pp. 1581-1591, July 2015.
50. L. Wanner, L. Lai, A. Rahimi, M. Gottscho, P. Mercati, C-H. Huang, F. Sala, Y. Agarwal, L. Dolecek, N. Dutt, P. Gupta, R. Gupta, R. Jhala, R. Kumar, S. Lerner, S. Mitra, A. Nicolau, T. Simunic-Rosing, M.B. Srivastava, S. Swanson, D. Sylvester, and Y. Zhou, "NSF Expedition on Variability-Aware Software: Recent Results and Contributions," *it – Information Technology*, pp. 181-198, June 2015.
51. D-W. Jee, D. Sylvester, D. Blaauw, and J-Y. Sim, "Digitally controlled leakage-based oscillator and fast relocking MDLL for ultra low power sensor platform," *IEEE Journal of Solid-State Circuits*, pp. 1263-1274, May 2015.
52. F. Frustaci, M. Khayatzadeh, D. Blaauw, D. Sylvester, and M. Alioto, "SRAM for error-tolerant applications with dynamic energy-quality management in 28nm CMOS," *IEEE Journal of Solid-State Circuits*, pp. 1310-1323, May 2015.
53. I. Lee, G. Kim, S. Bang, A. Wolfe, R. Bell, S-H. Jeong, Y. Kim, J. Kagan, D. Sylvester, D. Blaauw, and Y. Lee, "System-on-Mud: Ultra-low power oceanic sensing platform powered by small-scale Benthic microbial fuel cells," *IEEE Transactions on Circuits and Systems I*, pp. 1126-1135, April 2015.
54. Y-P. Chen, D. Jeon, Y. Lee, Y. Kim, Z. Foo, I. Lee, G. Kruger, H. Oral, O. Berenfeld, Z. Zhang, D. Blaauw, and D. Sylvester, "An injectable 64nW ECG mixed-signal SoC in 65nm for arrhythmia monitoring," *IEEE Journal of Solid-State Circuits*, pp. 375-390, January 2015.

55. W. Jung, S. Oh, S. Bang, Y. Lee, Z. Foo, G. Kim, Y. Zhang, D. Sylvester, and D. Blaauw, "An ultra-low power fully integrated energy harvester based on self-oscillating switched-capacitor voltage doubler," *IEEE Journal of Solid-State Circuits*, pp. 2800-2811, December 2014.
56. L. Fick, D. Fick, D. Blaauw, D. Sylvester, and M. Alioto, "A 346 $\mu\text{m}^2$  VCO-based, reference-free, self-timed sensor interface for cubic-millimeter sensor nodes in 28nm CMOS," *IEEE Journal of Solid-State Circuits*, pp. 2462-2473, November 2014.
57. I. Kwon, S. Kim, D. Fick, M. Kim, Y-P. Chen, and D. Sylvester, "Razor-Lite: A lightweight register for error detection by observing virtual supply rails," *IEEE Journal of Solid-State Circuits*, pp. 2054-2066, September 2014.
58. S-H. Jeong, Z. Foo, Y. Lee, J-Y. Sim, D. Blaauw, and D. Sylvester, "A fully integrated 71nW CMOS temperature sensor for low power wireless sensor nodes," *IEEE Journal of Solid-State Circuits*, pp. 1682-1693, August 2014.
59. C-H. Chen, D. Blaauw, D. Sylvester, and Z. Zhang, "Design and evaluation of confidence-driven error-resilient systems," *IEEE Transactions on VLSI Systems*, pp. 1727-1737, August 2014.
60. D. Jeon, M. Henry, Y. Kim, I. Lee, Z. Zhang, D. Blaauw, and D. Sylvester, "An energy efficient full-frame feature extraction accelerator with shift-latch FIFO in 28nm CMOS," *IEEE Journal of Solid-State Circuits*, pp. 1271-1284, May 2014.
61. Y-S. Park, D. Blaauw, D. Sylvester, and Z. Zhang, "Low-power high-throughput LDPC decoder using non-refresh embedded DRAM," *IEEE Journal of Solid-State Circuits*, pp. 783-794, March 2014.
62. Y. Lee, M. Seok, S. Hanson, D. Sylvester, and D. Blaauw, "Achieving ultra-low standby power with an efficient SCCMOS bias generator," *IEEE Transactions on Circuits and Systems II*, pp. 842-846, December 2013.
63. M.H. Ghaed, G. Chen, R-ul. Haque, M. Wieckowski, Y. Kim, G. Kim, Y. Lee, I. Lee, D. Fick, D. Kim, M. Seok, K.D. Wise, D. Blaauw, and D. Sylvester, "Circuits for a cubic millimeter energy-autonomous wireless intraocular pressure monitor," *IEEE Transactions on Circuits and Systems I*, pp. 3152-3162, December 2013.
64. R.G. Dreslinski, D. Fick, B. Giridhar, G. Kim, S. Seo, M. Fojtik, S. Satpathy, Y. Lee, D. Kim, N. Liu, M. Wieckowski, G. Chen, D. Sylvester, D. Blaauw, and T. Mudge, "Centip3De: A many-core prototype exploring 3D integration and near-threshold computing," *Communications of the ACM*, pp. 97-104, November 2013.
65. Y. Lee, B. Giridhar, Z. Foo, D. Sylvester, and D. Blaauw, "A sub-nW multi-stage temperature compensated timer for ultra-low-power sensor nodes," *IEEE Journal of Solid-State Circuits*, pp. 2511-2521, October 2013.
66. N. Pinckney, R.G. Dreslinski, K. Sewell, D. Fick, T. Mudge, D. Sylvester, and D. Blaauw, "Limits of parallelism and boosting in dim silicon," *IEEE Micro*, pp. 30-37, Sept-Oct. 2013.
67. Y. Lee, D. Kim, J. Cai, I. Lauer, L. Chang, S.J. Koester, D. Blaauw, and D. Sylvester, "Low power circuit analysis and design based on heterojunction tunneling transistors (HETTs)," *IEEE Transactions on VLSI Systems*, pp. 1632-1643, Sept. 2013.
68. C. Zhuo, D. Sylvester, and D. Blaauw, "A statistical framework for post-fabrication oxide breakdown reliability prediction and management," *IEEE Transactions on Computer-Aided Design*, pp. 630-643, April 2013.
69. R. Dreslinski, D. Fick, B. Giridhar, G. Kim, S. Seo, M. Fojtik, S. Satpathy, Y. Lee, D. Kim, N. Liu, M. Wieckowski, G. Chen, D. Blaauw, D. Sylvester, T. Mudge, "Centip3De: A 64-Core, 3D Stacked, Near-Threshold System," *IEEE Micro*, pp. 8-16, March/April 2013.

70. M. Fojtik, D. Kim, G. Chen, Y-S. Lin, D. Fick, J. Park, M. Seok, M-T. Chen, Z. Foo, D. Blaauw, and D. Sylvester, "A millimeter-scale energy-autonomous sensor system with stacked battery and solar cells," *IEEE Journal of Solid-State Circuits*, pp. 801-813, March 2013.
71. Y. Lee, D. Yoon, Y. Kim, D. Blaauw, and D. Sylvester, "Circuit and system design guidelines for ultra-low power sensor nodes," *IPSJ Transactions on System LSI Design Methodology (T-SLDM)*, pp. 17-26, February 2013. **[invited paper]**
72. P. Gupta, Y. Agarwal, L. Dolecek, N. Dutt, R. Gupta, R. Kumar, S. Mitra, A. Nicolau, T. Simunic Rosing, M.B. Srivastava, S. Swanson, and D. Sylvester, "Underdesigned and opportunistic computing in presence of hardware variability," *IEEE Transactions on Computer-Aided Design*, pp. 8-23, January 2013 (**invited keynote article**).
73. M. Fojtik, D. Fick, Y. Kim, N. Pinckney, D. Harris, D. Blaauw, and D. Sylvester, "Bubble Razor: Eliminating timing margins in an ARM Cortex-M3 processor in 45nm CMOS using architecturally independent error detection and correction," *IEEE Journal of Solid-State Circuits*, pp. 66-81, January 2013.
74. D. Fick, R. Dreslinski, B. Giridhar, G. Kim, S. Seo, M. Fojtik, S. Satpathy, Y. Lee, D. Kim, N. Liu, M. Wiecekowsk, G. Chen, T. Mudge, D. Blaauw, and D. Sylvester, "Centip3De: A cluster-based NTC architecture with 64 ARM Cortex-M3 cores in 3D stacked 130nm CMOS," *IEEE Journal of Solid-State Circuits*, pp. 104-117, January 2013.
75. Y. Lee, G. Kim, S. Bang, Y. Kim, I. Lee, P. Dutta, D. Sylvester, and D. Blaauw, "A modular 1mm<sup>3</sup> Die-Stacked Sensing Platform with Low Power I<sup>2</sup>C Inter-die Communication and Multi-Modal Energy Harvesting," *IEEE Journal of Solid-State Circuits*, pp. 229 - 243, January 2013.
76. D. Jeon, M. Seok, Z. Zhang, D. Blaauw, and D. Sylvester, "A design methodology for voltage overscaled ultra-low power systems," *IEEE Transactions on Circuits and Systems II*, pp. 952-956, December 2012.
77. M. Seok, G. Kim, D. Blaauw, and D. Sylvester, "A portable 2-transistor picowatt temperature-compensated voltage reference operating at 0.5V," *IEEE Journal of Solid-State Circuits*, pp. 2534-2545, October 2012.
78. P. Singh, E. Karl, D. Sylvester, and D. Blaauw, "Compact degradation sensors for monitoring NBTI and oxide degradation," *IEEE Transactions on VLSI Systems*, pp. 1645-1655, September 2012.
79. K. Sewell, R.G. Dreslinski, T. Manville, S. Satpathy, N. Pinckney, G. Blake, M. Cieslak, R. Das, T. Wenisch, D. Sylvester, D. Blaauw, and T. Mudge, "Swizzle-switch networks for many-core systems," *IEEE Journal on Emerging Topics in Circuits and Systems*, pp. 278-294, June 2012.
80. A. DeOrio, D. Fick, V. Bertacco, D. Sylvester, D. Blaauw, J. Hu, and G. Chen, "A reliable routing architecture and algorithm for NoCs," *IEEE Transactions on Computer-Aided Design*, pp. 726-739, May 2012.
81. M. Seok, S. Hanson, D. Blaauw, and D. Sylvester, "Sleep mode analysis and optimization with minimal-sized power gating switch for ultra-low V<sub>dd</sub> operation," *IEEE Transactions on VLSI Systems*, pp. 605-615, April 2012.
82. D. Jeon, M. Seok, C. Chakrabarti, D. Blaauw, and D. Sylvester, "A super-pipelined energy efficient subthreshold 240MS/s FFT core in 65nm CMOS," *IEEE Journal on Solid-State Circuits*, pp. 23-34, January 2012.
83. J-S. Seo, D. Blaauw, and D. Sylvester, "Crosstalk-aware PWM-based on-chip links with self-calibration in 65nm CMOS," *IEEE Journal on Solid-State Circuits*, pp. 2041-2052, September 2011.
84. P. Singh, E. Karl, D. Sylvester, and D. Blaauw, "Dynamic NBTI management using a 45nm multi-degradation sensor," *IEEE Transactions on Circuits and Systems I*, pp. 2026-2037, September 2011.



85. C. Zhuo, K. Chopra, D. Sylvester, and D. Blaauw, "Process variation and temperature-aware full-chip oxide breakdown reliability analysis," *IEEE Transactions on Computer-Aided Design*, pp. 1321-1334, September 2011.
86. M. Seok, D. Blaauw, and D. Sylvester, "Robust clock network design methodology for ultra-low voltage operations," *IEEE Journal on Emerging Topics in Circuits and Systems*, pp. 120-130, June 2011. **[invited]**
87. V. Veetil, K. Chopra, D. Blaauw, and D. Sylvester, "Fast statistical static timing analysis using smart Monte Carlo techniques," *IEEE Transactions on Computer-Aided Design*, pp. 852-865, June 2011.
88. M. Seok, G. Chen, S. Hanson, M. Wiecekowsi, D. Blaauw, and D. Sylvester, "CAS-FEST 2010: Mitigating variability in near-threshold computing," *IEEE Journal on Emerging Topics in Circuits and Systems*, pp. 42-49, March 2011.
89. J-S. Seo, D. Sylvester, D. Blaauw, H. Kaul, and R. Krishnamurthy, "A robust edge encoding technique for energy-efficient multi-cycle interconnect," *IEEE Transactions on VLSI Systems*, pp. 264-273, February 2011.
90. G.K. Chen, S. Hanson, D. Blaauw, and D. Sylvester, "Circuit design advances for wireless sensing applications," *Proceedings of the IEEE*, pp. 1808-1827, December 2010. **[invited]**
91. G. Chen, D. Sylvester, D. Blaauw, and T. Mudge, "Yield-driven near-threshold SRAM design," *IEEE Transactions on VLSI Systems*, pp. 1590-1598, November 2010.
92. V. Joshi, B. Cline, D. Sylvester, D. Blaauw, and K. Agarwal, "Mechanical stress aware optimization for leakage power reduction," *IEEE Transactions on Computer-Aided Design*, pp. 722-736, May 2010.
93. S. Hanson, Z. Foo, D. Blaauw, and D. Sylvester, "A 0.5V sub-microwatt CMOS image sensor with pulse-width modulation read-out," *IEEE Journal of Solid-State Circuits*, pp. 759-767, April 2010.
94. R.G. Dreslinski, M. Wiecekowsi, D. Blaauw, D. Sylvester, and T. Mudge, "Near-threshold voltage scaling for energy optimal systems," *Proceedings of the IEEE*, pp. 253-266, February 2010. **[invited]**
95. R. Gandikota, K. Chopra, D. Blaauw, and D. Sylvester, "Victim alignment in crosstalk-aware timing analysis," *IEEE Transactions on Computer-Aided Design*, pp. 261-274, February 2010.
96. H. Singh, R.M. Rao, D. Sylvester, R. Brown, and K. Nowka, "Dynamically pulsed MTCMOS with bus encoding for total power and crosstalk minimization," *IEEE Transactions on VLSI Systems*, pp. 166-170, January 2010.
97. R.R. Rao, V. Joshi, D. Blaauw, and D. Sylvester, "Circuit optimization techniques to mitigate the effects of soft errors in combinational logic," *ACM Transactions on Design Automation of Electronic Systems*, pp. 5:1-5:27, December 2009.
98. P. Singh, C. Zhou, E. Karl, D. Blaauw, and D. Sylvester, "Sensor driven reliability and wearout management," *IEEE Design & Test of Computers*, pp. 40-49, Nov/Dec 2009. **[invited]**
99. B. Zhai, S. Pant, L. Nazhandali, S. Hanson, J. Olson, A. Reeves, M. Minuth, R. Helfand, T. Austin, D. Sylvester, and D. Blaauw, "Energy efficient subthreshold processor design," *IEEE Transactions on VLSI Systems*, pp. 1127-1137, August 2009. [top 25 downloaded manuscripts, TVLSI 2009]
100. Y. Kim, D. Petranovic, and D. Sylvester, "Simple and accurate models for capacitance increment due to metal fill insertion," *IEEE Transactions on VLSI Systems*, pp. 1166-1170, August 2009.
101. S. Hanson, M. Seok, Y-S. Lin, Z. Foo, D. Kim, Y. Lee, N. Liu, D. Sylvester, and D. Blaauw, "A low voltage processor for sensing applications with picowatt standby mode," *IEEE Journal of Solid-State Circuits*, pp. 1145-1155, April 2009.
102. Y-S. Lin, D. Sylvester, and D. Blaauw, "Alignment independent chip-to-chip communication for sensor applications using passive capacitive signaling," *IEEE Journal of Solid-State Circuits*, pp. 1156-1166, April 2009.

103. F. Albano, Y-S. Lin, D. Blaauw, D. Sylvester, K.D. Wise, and A.M. Sastry, "A fully integrated microbattery for an implantable microelectromechanical system," *Elsevier Journal of Power Sources*, 185 (2), pp.1524-1532, December 2008.
104. B. Zhai, S. Hanson, D. Blaauw, and D. Sylvester, "A variation-tolerant sub-200mV 6-T subthreshold SRAM," *IEEE Journal of Solid-State Circuits*, pp. 2338-2348, October 2008.
105. P. Singh, J-S. Seo, D. Blaauw, and D. Sylvester, "Self-timed regenerators for high-speed and low-power on-chip global interconnect," *IEEE Transactions on VLSI Systems*, pp. 673-677, June 2008.
106. D. Sylvester, K. Agarwal, and S. Shah, "Variability in nanometer CMOS: Impact, analysis, and minimization," *Integration, the VLSI Journal*, vol. 41, no. 3, pp. 319-339, May 2008. **[invited]**
107. S. Hanson, B. Zhai, M. Seok, B. Cline, K. Zhou, M. Singhal, M. Minuth, J. Olson, L. Nazhandali, T. Austin, D. Sylvester, and D. Blaauw, "Exploring variability and performance in a sub-200mV processor," *IEEE Journal of Solid-State Circuits*, pp. 881-891, April 2008.
108. E-H. Toh, G. H. Wang, L. Chan, D. Sylvester, C.-H. Heng, G. Samudra, and Y.-C. Yeo, "Device design and scalability of a double-gate tunneling field-effect transistor with silicon-germanium source," *Japanese Journal of Applied Physics*, vol. 47, no. 4, pp. 2593-2597, April 2008.
109. E. Karl, D. Blaauw, D. Sylvester, and T. Mudge, "Multi-mechanism reliability modeling and management in dynamic systems," *IEEE Transactions on VLSI Systems*, pp. 476-487, April 2008.
110. S.H. Kulkarni, D. Sylvester, and D. Blaauw, "Design time optimization of post-silicon tuned circuits using adaptive body bias," *IEEE Transactions on Computer-Aided Design*, pp. 481-494, March 2008.
111. A. Srivastava, K. Chopra, S. Shah, D. Sylvester, and D. Blaauw, "A novel approach to perform gate-level yield analysis and optimization considering correlated variations in power and performance," *IEEE Transactions on Computer-Aided Design*, pp. 272-285, February 2008.
112. S. Hanson, M. Seok, D. Sylvester, and D. Blaauw, "Nanometer device scaling in subthreshold logic and SRAM," *IEEE Transactions on Electron Devices*, pp. 175-185, January 2008.
113. J. Lin, E.-H. Toh, C. Shen, D. Sylvester, C-H. Heng, G. Samudra, and Y-C. Yeo, "Compact HSPICE model for IMOS device," *IET Electronics Letters*, vol. 44, no. 2, pp. 91-92, January 17 2008.
114. P. Gupta, A.B. Kahng, D. Sylvester, and J. Yang, "Performance-driven optical proximity correction for mask cost reduction," *SPIE Journal of Micro/Nanolithography, MEMS, and MOEMS (JM3)*, pp. 031005-1 – 031005-8, July-September 2007.
115. H. Singh, K. Agarwal, D. Sylvester, and K. Nowka, "Enhanced leakage reduction techniques using intermediate strength power gating," *IEEE Transactions on VLSI Systems*, pp. 1215-1224, November 2007. [top 25 downloaded manuscripts, TVLSI 2008]
116. P. Gupta, A.B. Kahng, Y. Kim, and D. Sylvester, "Self-compensating design for reduction of timing and leakage sensitivity to systematic pattern dependent variation," *IEEE Transactions on Computer-Aided Design*, pp. 1614-1624, September 2007.
117. K. Agarwal, R.M. Rao, D. Sylvester, and R. Brown, "Parametric yield analysis and optimization in leakage dominated technologies," *IEEE Transactions on VLSI Systems*, pp. 613-623, June 2007.
118. F. Albano, M.D. Chung, D. Blaauw, D. Sylvester, K.D. Wise, and A.M. Sastry, "Design of an implantable power supply for an intraocular sensor, using POWER (Power Optimization for Wireless Energy Requirements)," *Elsevier Journal of Power Sources*, v. 170 (1), pp. 216-224, June 2007.
119. D. Sylvester and A. Srivastava, "Computer-aided design for low-power robust computing in nanoscale CMOS," *Proceedings of IEEE*, pp. 507-529, March 2007. **[invited]**
120. R.R. Rao, K. Chopra, D. Blaauw, and D. Sylvester, "Soft error rate computation of combinational logic using parameterized descriptors," *IEEE Transactions on Computer-Aided Design*, pp. 468-479, March 2007.

121. A. Srivastava, T. Kachru, and D. Sylvester, "Low-power design space exploration considering process variation using robust optimization," *IEEE Transactions on Computer-Aided Design*, pp. 67-79, January 2007.
122. D. Sylvester, D. Blaauw, and E. Karl, "ElastiC: An adaptive self-healing architecture for unpredictable silicon," *IEEE Design & Test of Computers*, special issue on process variation and stochastic design and test, pp. 484-490, Nov/Dec 2006.
123. D. Lee, D. Blaauw, and D. Sylvester, "Runtime leakage minimization through probability-aware optimization," *IEEE Transactions on VLSI Systems*, pp. 1075-1088, October 2006.
124. R.R. Rao, A. Devgan, D. Blaauw, and D. Sylvester, "Analytical yield prediction considering leakage/performance correlation," *IEEE Transactions on Computer-Aided Design*, pp. 1685-1695, September 2006.
125. P. Gupta, A.B. Kahng, P. Sharma, and D. Sylvester, "Gate-length biasing for runtime leakage control," *IEEE Transactions on Computer-Aided Design*, pp. 1475-1485, August 2006.
126. S.H. Kulkarni and D. Sylvester, "Power distribution techniques for dual Vdd circuits," *Journal of Low Power Electronics*, pp. 217-229, August 2006.
127. K. Agarwal, M. Agarwal, D. Sylvester, and D. Blaauw, "Statistical modeling of VLSI interconnect for physical design optimization," *IEEE Transactions on Computer-Aided Design*, pp. 1273-1288, July 2006.
128. S. Hanson, B. Zhai, K. Bernstein, D. Blaauw, A. Bryant, L. Chang, K. Das, W. Haensch, E. Nowak, and D. Sylvester, "Ultra low-voltage, minimum energy CMOS", *IBM Journal of Research and Development*, pp. 469-490, July/September 2006.
129. K. Agarwal, D. Sylvester, and D. Blaauw, "Modeling and analysis of crosstalk noise in coupled RLC interconnects," *IEEE Transactions on Computer-Aided Design*, pp. 892-901, May 2006.
130. A. Sultania, D. Sylvester, and S. Sapatnekar, "Gate oxide leakage and delay tradeoffs for dual-Tox circuits," *IEEE Transactions on VLSI Systems*, pp. 1362-1375, December 2005.
131. R.R. Rao, H. Deogun, D. Blaauw, and D. Sylvester, "Bus encoding for total power reduction using a leakage-aware buffer configuration," *IEEE Transactions on VLSI Systems*, pp. 1376-1383, December 2005.
132. H. Kaul, D. Sylvester, M. Anders, and R. Krishnamurthy, "Design and analysis of spatial encoding circuits for peak power reduction in on-chip buses," *IEEE Transactions on VLSI Systems*, pp. 1225-1238, November 2005.
133. B. Zhai, D. Blaauw, D. Sylvester, and K. Flautner, "The limit of dynamic voltage scaling and extended DVS," *IEEE Transactions on VLSI Systems*, pp. 1239-1252, November 2005.
134. Y. Cao, X. Yang, X. Huang, and D. Sylvester, "Switch-factor based loop RLC modeling for efficient timing analysis," *IEEE Transactions on VLSI Systems*, pp. 1072-1078, September 2005.
135. R.R. Rao, A. Devgan, D. Blaauw, and D. Sylvester, "Modeling and analysis of parametric yield under power and performance constraints," *IEEE Design & Test of Computers*, special issue on design and test methodologies for scaled technologies, pp. 376-385, July-August 2005. **[invited]**
136. D. Lee, D. Blaauw, and D. Sylvester, "Static leakage reduction through simultaneous  $V_t$ /Tox and state assignment," *IEEE Transactions on Computer-Aided Design*, pp. 1014-1029, July 2005.
137. Y. Cao, X. Huang, D. Sylvester, T-J. King, and C. Hu, "Impact of on-chip frequency-dependent  $R(f)$   $L(f)$  on digital and RF design," *IEEE Transactions on VLSI Systems*, pp. 158-162, January 2005.
138. H. Kaul, D. Sylvester, and D. Blaauw, "Performance optimization of critical nets through active shielding," *IEEE Transactions on Circuits and Systems I*, pp. 2417-2435, December 2004.
139. S.H. Kulkarni and D. Sylvester, "Fast and energy-efficient asynchronous level converters for multi-Vdd design," *IEEE Transactions on VLSI Systems*, pp. 926-936, September 2004.

140. K. Agarwal, D. Sylvester, and D. Blaauw, "A simple metric for slew rate of RC circuits based on two circuit moments," *IEEE Transactions on Computer-Aided Design*, pp. 1346-1354, September 2004.
141. A. Srivastava and D. Sylvester, "Minimizing total power by simultaneous Vdd/Vth assignment," *IEEE Transactions on Computer-Aided Design*, pp. 665-677, May 2004.
142. H. Kaul and D. Sylvester, "Low-power global IC communication based on transition-aware global signaling," *IEEE Transactions on VLSI Systems*, pp. 464-476, May 2004.
143. D. Lee, D. Blaauw, and D. Sylvester, "Gate oxide leakage current analysis and reduction for VLSI circuits," *IEEE Transactions on VLSI Systems*, pp. 155-166, February 2004.
144. R.R. Rao, A. Srivastava, D. Blaauw, and D. Sylvester, "Statistical analysis of subthreshold leakage current for VLSI circuits," *IEEE Transactions on VLSI Systems*, pp. 131-139, February 2004.
145. K. Agarwal, D. Sylvester, and D. Blaauw, "Effective capacitance based driver output model for on-chip RLC interconnects," *IEEE Transactions on Computer-Aided Design*, pp. 128-134, January 2004.
146. Y. Cao, M. Orshansky, D. Sylvester, T. Sato, and C. Hu, "SPICE up your MOSFET modeling: presenting a new paradigm of predictive MOSFET modeling for early circuit design innovation," *IEEE Circuits and Devices*, pp. 17-23, July 2003.
147. T. Sato, Y. Cao, K. Agarwal, D. Sylvester, and C. Hu, "Bi-directional closed-form transformation between on-chip coupling noise waveforms and interconnect delay change curves," *IEEE Transactions on Computer-Aided Design*, pp. 560-572, May 2003.
148. Y. Cao, C. Hu, X. Huang, A.B. Kahng, I. Markov, M. Oliver, D. Stroobandt, and D. Sylvester, "Improved a priori interconnect predictions and technology extrapolation in the GTX system," *IEEE Transactions on VLSI Systems*, pp. 3-14, Feb. 2003.
149. Y. Cao, X. Huang, N. Chang, S. Lin, O.S. Nakagawa, W. Xie, D. Sylvester, and C. Hu, "Effective on-chip inductance modeling for multiple signal lines and application to repeater insertion," *IEEE Transactions on VLSI Systems*, pp. 799-805, Dec. 2002.
150. D. Sylvester and H. Kaul, "Power-driven challenges in nanometer design," *IEEE Design & Test of Computers*, pp. 12-22, Nov/Dec. 2001.  
*Also included in a 2002 special report on design and test strategies compiled by editors of IEEE Design & Test.*
151. T. Sato, D. Sylvester, Y. Cao, and C. Hu, "Accurate in-situ measurement of peak noise and delay change induced by interconnect coupling," *IEEE Journal of Solid-State Circuits*, pp. 1587-1591, Oct. 2001.
152. D. Sylvester and C. Hu, "Analytical modeling and characterization of deep submicron interconnect," *Proceedings of IEEE*, pp. 634-664, May 2001. **[invited]**
153. D. Sylvester and K. Keutzer, "Microarchitectures for systems on a chip in small process geometries," *Proceedings of IEEE*, pp. 467-489, April 2001. **[invited]**
154. D. Sylvester and K. Keutzer, "A global wiring paradigm for deep submicron design," *IEEE Transactions on CAD*, pp. 242-252, February 2000.
155. D. Sylvester and K. Keutzer, "Rethinking deep submicron circuit design," *IEEE Computer*, November 1999, pp. 25-33.
156. O.S. Nakagawa, D. Sylvester, J.G. McBride, and S-Y. Oh, "Closed-form modeling of on-chip crosstalk noise in deep-submicron ULSI interconnect," *Hewlett-Packard Journal*, pp. 39-45, August 1998.
157. J.C. Chen, D. Sylvester, and C. Hu, "An on-chip interconnect capacitance characterization method with sub-femto-farad resolution," *IEEE Transactions on Semiconductor Manufacturing*, pp. 204-210, May 1998.

158. D. Sylvester, J.C. Chen, and C. Hu, "Investigation of interconnect capacitance using charge-based capacitance measurement (CBCM) technique and 3-D simulation," *IEEE Journal of Solid-State Circuits*, pp. 449-453, March 1998.
159. B.W. McGaughy, J.C. Chen, D. Sylvester, and C. Hu, "A simple method for on-chip sub-femto-farad interconnect capacitance measurement," *IEEE Electron Device Letters*, pp. 21-23, January 1997.

#### *Conference publications*

160. L. Xu, T. Jang, J. Lim, K. Choo, D. Blaauw, and D. Sylvester, "A 0.51nW 32kHz crystal oscillator achieving 2ppb Allan deviation floor using high-energy-to-noise-ratio pulse injection," *IEEE International Solid-State Circuits Conference*, 2020.
161. J. Lim, E. Moon, M. Barrow, S.R. Nason, P.R. Patel, P.G. Patil, S. Oh, I. Lee, H-S. Kim, D. Sylvester, D. Blaauw, C.A. Chestek, J. Phillips, and T. Jang, "A  $0.19 \times 0.17$  mm<sup>2</sup> wireless neural recording IC for motor prediction with near-infrared-based power and data telemetry," *IEEE International Solid-State Circuits Conference*, 2020.
162. J-H. Seol, D. Sylvester, D. Blaauw, and T. Jang, "A reference oversampling digital phase-locked-loop with  $-240$ dB FOM and  $-80$ dBc reference spur," *IEEE Symposium on VLSI Circuits*, 2019.
163. T. Kang, I. Lee, S. Oh, T. Jang, Y. Kim, H. Ahn, G. Kim, S-U. Shin, S. Jeong, D. Sylvester, and D. Blaauw, "A  $1.7 \times 4.1 \times 2$  mm<sup>3</sup> fully integrated pH sensor for implantable applications using differential sensing and drift compensation," *IEEE Symposium on VLSI Circuits*, 2019.
164. S. Oh, M. Cho, X. Wu, Y. Kim, L-X. Chuo, W. Lim, P. Pannuto, S. Bang, K. Yang, H-S. Kim, D. Sylvester, and D. Blaauw, "IoT2 – the internet of tiny things: realizing mm-scale sensors through 3D die stacking," *ACM/IEEE Design, Automation, and Test in Europe*, 2019.
165. K.D. Choo, L. Xu, Y. Kim, J. Seol, X. Wu, D. Sylvester, and D. Blaauw, "Energy-efficient low-noise CMOS image sensor with capacitor array-assisted charge-injection SAR ADC for motion-triggered low-power IoT applications," *IEEE International Solid-State Circuits Conference*, 2019.
166. Z. Li, Y. Chen, L. Gong, L. Liu, D. Sylvester, D. Blaauw, and H-S. Kim, "An 879 GOPS 243mW 80fps VGA fully visual CNN-SLAM processor for wide-range autonomous exploration," *IEEE International Solid-State Circuits Conference*, 2019.
167. J. Lee, Y. Zhang, Q. Dong, W. Lim, M. Saligane, Y. Kim, S. Jeong, J. Lim, M. Yasuda, S. Miyoshi, M. Kawaminami, D. Blaauw, and D. Sylvester, "A 6.4pJ/cycle self-tuning Cortex-M0 IoT processor based on leakage-ratio measurement for energy-optimal operation across wide-range PVT variation," *IEEE International Solid-State Circuits Conference*, 2019.
168. J. Wang, X. Wang, C. Eckert, A. Subramaniyan, R. Das, D. Blaauw, and D. Sylvester, "A compute SRAM with bit-serial integer/floating-point operations for programmable in-memory vector acceleration," *IEEE International Solid-State Circuits Conference*, 2019.
169. Y. Peng, K. Choo, S. Oh, I. Lee, T. Jang, Y. Kim, J. Lim, D. Sylvester, and D. Blaauw, "An adiabatic sense and set rectifier for improved maximum-power-point tracking in piezoelectric harvesting with 541% energy extraction gain," *IEEE International Solid-State Circuits Conference*, 2019.
170. M. Cho, S. Oh, Z. Shi, J. Lim, Y. Kim, S. Jeong, Y. Chen, D. Blaauw, H-S. Kim, and D. Sylvester, "A 142nW voice and acoustic activity detection chip for mm-scale sensor nodes using time-interleaved mixer-based frequency scanning," *IEEE International Solid-State Circuits Conference*, 2019.
171. M. Saligane, J. Lee, Q. Dong, M. Yasuda, K. Kumeno, F. Ohno, S. Miyoshi, M. Kawaminami, D. Blaauw, and D. Sylvester, "An adaptive body-biasing SoC using *in situ* slack monitoring for runtime replica calibration," *IEEE Symposium on VLSI Circuits*, 2018.

172. S. Jeloka, Z. Wang, R. Xie, S. Khanna, S. Bartling, D. Sylvester, and D. Blaauw, "Energy efficient adiabatic FRAM with 0.99pJ/bit write for IoT applications," *IEEE Symposium on VLSI Circuits*, 2018.
173. J. Lim, T. Jang, M. Saligane, M. Yasuda, S. Miyoshi, M. Kawaminami, D. Blaauw, and D. Sylvester, "A 224pW 260ppm/°C gate-leakage based timer for ultra-low power sensor nodes with second-order temperature dependency calibration," *IEEE Symposium on VLSI Circuits*, 2018.
174. Z. Li, J. Wang, D. Sylvester, D. Blaauw, and H-S. Kim, "A 1920 × 1080 25fps, 2.4TOPS/W unified optical flow and depth 6D vision processor for energy-efficient, low power autonomous navigation," *IEEE Symposium on VLSI Circuits*, 2018.
175. K. Yang, Q. Dong, Z. Wang, Y-C. Shih, Y-D. Chih, J. Chang, D. Blaauw, and D. Sylvester, "A 28nm integrated true random number generator harvesting entropy from MRAM," *IEEE Symposium on VLSI Circuits*, 2018.
176. X. Wu, I. Lee, Q. Dong, K. Yang, D. Kim, J. Wang, Y. Peng, Y. Zhang, M. Saligane, M. Yasuda, K. Kumeno, F. Ohno, S. Miyoshi, M. Kawaminami, D. Sylvester, and D. Blaauw, "A 0.04mm<sup>3</sup> 16nW wireless and batteryless sensor system with integrated Cortex-M0+ processor and optical communication for cellular temperature measurement," *IEEE Symposium on VLSI Circuits*, 2018.
177. T. Jang, K. Choo, J. Lim, S. Nason, J. Lee, S. Oh, S. Jeong, C. Chestek, D. Sylvester, and D. Blaauw, "A 2.2 NEF neural-recording amplifier using discrete-time parametric amplification," *IEEE Symposium on VLSI Circuits*, 2018.
178. C. Eckert, X. Wang, J. Wang, A. Subramaniyan, R. Iyer, D. Sylvester, D. Blaauw, and R. Das, "Neural cache," *ACM/IEEE International Symposium on Computer Architecture*, 2018.
179. S. Oh, Y. Shi, G. Kim, Y. Kim, T. Kang, S. Jeong, D. Sylvester, and D. Blaauw, "A 2.5nJ duty-cycled bridge-to-digital converter integrated in a 13mm<sup>3</sup> pressure-sensing system," *IEEE International Solid-State Circuits Conference*, 2018.
180. Q. Dong, Z. Wang, J. Lim, Y. Zhang, Y-C. Shih, Y-D. Chih, J. Chang, D. Blaauw, and D. Sylvester, "A 1Mb 28nm STT-MRAM with 2.8ns read access time at 1.2V VDD using single-cap offset-cancelled sense amplifier and in-situ self-write-termination," *IEEE International Solid-State Circuits Conference*, 2018.
181. M. Shim, S. Jeong, P. Myers, S. Bang, J. Shen, C. Kim, D. Sylvester, D. Blaauw, and W. Jung, "Edge pursuit comparator with application in a 74.1dB SNDR, 20KS/s 15b SAR ADC," *IEEE Asia and South Pacific Design Automation Conference (ASP-DAC)*, 2018. (Design Contest)
182. J. Jeong, S. Jeong, C. Kim, D. Sylvester, and D. Blaauw, "A 42nJ/conversion on-demand state-of-charge indicator for miniature IoT Li-ion batteries," *IEEE Asia and South Pacific Design Automation Conference (ASP-DAC)*, 2018. (Design Contest)
183. L-X. Chuo, Z. Luo, D. Sylvester, D. Blaauw, and H-S. Kim, "RF-Echo: A non-line-of-sight indoor localization system using a low-power active RF reflector ASIC tag," *International Conference on Mobile Computing and Networking (MobiCom)*, 2017.
184. I. Lee, D. Sylvester, and D. Blaauw, "Subthreshold voltage reference with Nwell/Psub diode leakage compensation for low-power high-temperature systems," *IEEE Asian Solid-State Circuits Conference*, 2017.
185. Q. Dong, I. Lee, K. Yang, D. Blaauw, D. Sylvester, "A 1.02nW PMOS-only trim-free current reference with 282ppm/°C from -40 to 120°C and 1.6% within-wafer accuracy," *IEEE European Solid-State Circuits Conference*, 2017.
186. A. Subramaniyan, J. Wang, E. Balasubramanian, D. Blaauw, D. Sylvester, R. Das, "Cache automaton: repurposing caches for automata processing," *IEEE International Conference on Parallel Architectures and Compilation Techniques (PACT)*, 2017.

187. Y. Zeng, T. Jang, Q. Dong, M. Saligane, D. Sylvester, and D. Blaauw, "A 1.7nW PLL-assisted current injected 32kHz crystal oscillator for IoT," *IEEE Symposium on VLSI Circuits*, 2017.
188. Q. Dong, S. Jeloka, M. Saligane, Y. Kim, M. Kawaminami, A. Harada, S. Miyoshi, D. Blaauw, and D. Sylvester, "A 0.3V VDDmin 4+2T SRAM for searching and in-memory computing using 55nm DDC technology," *IEEE Symposium on VLSI Circuits*, 2017.
189. S. Jeloka, J. Lee, Z. Li, J. Shah, Q. Dong, K. Yang, D. Sylvester, and D. Blaauw, "An ultra-wide program 122pJ/bit flash memory using charge recycling," *IEEE Symposium on VLSI Circuits*, 2017.
190. J. Jeong, S. Jeong, C. Kim, D. Sylvester, and D. Blaauw, "A 42nJ/conversion on-demand state-of-charge indicator for miniature IoT Li-ion batteries," *IEEE Symposium on VLSI Circuits*, 2017.
191. Y. Zhang, L. Xu, K. Yang, Q. Dong, S. Jeloka, D. Blaauw, and D. Sylvester, "Recryptor: A reconfigurable in-memory cryptographic Cortex-M0 processor for IoT," *IEEE Symposium on VLSI Circuits*, 2017.
192. S. Jeloka, K. Yang, M. Orshansky, D. Sylvester, and D. Blaauw, "A sequence dependent challenge-response PUF using 28nm SRAM 6T bit cell," *IEEE Symposium on VLSI Circuits*, 2017.
193. M. Cho, S. Oh, S. Jeong, Y. Zhang, I. Lee, Y. Kim, L-X. Chuo, D. Kim, Q. Dong, Y-P. Chen, M. Lim, M. Daneman, D. Blaauw, D. Sylvester, and H-S. Kim, "A  $6 \times 5 \times 4 \text{mm}^3$  general purpose audio sensor node with a  $4.7 \mu\text{W}$  audio processing IC," *IEEE Symposium on VLSI Circuits*, 2017.
194. S. Oh, T. Jang, K.D. Choo, D. Blaauw, and D. Sylvester, "A  $4.7 \mu\text{W}$  switched-bias MEMS microphone preamplifier for ultra-low power voice interfaces," *IEEE Symposium on VLSI Circuits*, 2017.
195. A. Subramaniyan, J. Wang, E. Balasubramanian, D. Blaauw, D. Sylvester, R. Das, "Cache automaton," *IEEE/ACM International Symposium on Microarchitecture (MICRO)*, pp. 259-272, 2017.
196. L. Fick, D. Sylvester, J. Poulton, J. Wilson, and T. Gray, "A 25 Gb/s  $470 \mu\text{W}$  active inductor equalizer for ground referenced signaling receivers," *IEEE International Symposium on Circuits and Systems*, 2017.
197. Q. Dong, K. Yang, L. Fick, D. Blaauw, and D. Sylvester, "Rectified-linear and recurrent neural networks built with spin devices," *IEEE International Symposium on Circuits and Systems*, 2017.
198. D. Kim, W. Jung, S. Oh, K.D Choo, D. Sylvester, and D. Blaauw, "A start-up boosting circuit with  $133 \times$  speed gain for 2-transistor voltage reference," *IEEE Custom Integrated Circuits Conference*, 2017.
199. W. Jung, D. Sylvester, and D. Blaauw, "Low-power switched-capacitor converter design techniques for small IoT systems," *IEEE European Conference on Circuit Theory and Design (ECCTD)*, pp. 1-4, 2017.
200. L. Fick, D. Blaauw, D. Sylvester, S. Skrzyniarz, M. Parikh, D. Fick, "Analog in-memory subthreshold deep neural network accelerator," *IEEE Custom Integrated Circuits Conference*, 2017.
201. Z. Li, Q. Dong, M. Saligane, B. Kempke, S. Yang, Z. Zhang, R. Dreslinski, D. Sylvester, D. Blaauw, and H. S. Kim, "A  $1920 \times 1080$  30fps 2.3TOPS/W Stereo-Depth Processor for Robust Autonomous Navigation," *IEEE International Solid-State Circuits Conference*, 2017.
202. W. Lim, D. Sylvester, and D. Blaauw, "A Sub-nW 80mIx-to-1.26Mlx Self-Referencing Light-to-Digital Converter with AlGaAs Photodiode," *IEEE International Solid-State Circuits Conference*, 2017.
203. K. Yang, Q. Dong, D. Blaauw, and D. Sylvester, "A  $553\text{F}^2$  2-Transistor Amplifier-Based Physically Unclonable Function (PUF) with 1.67% Native Instability," *IEEE International Solid-State Circuits Conference*, 2017.

204. T. Jang, S. Jeong, D. Jeon, K. D. Choo, D. Sylvester, and D. Blaauw, "A 2.5ps 0.8-to-3.2GHz Bang-Bang Phase- and Frequency-Detector-Based All-Digital PLL with Noise Self-Adjustment," *IEEE International Solid-State Circuits Conference*, 2017.
205. K. Yang, Q. Dong, W. Jung, Y. Zhang, M. Choi, D. Blaauw, and D. Sylvester, "A 0.6nJ  $-0.22/+0.19^{\circ}\text{C}$  Inaccuracy Temperature Sensor Using Exponential Subthreshold Oscillation Dependence," *IEEE International Solid-State Circuits Conference*, 2017.
206. Q. Dong, Y. Kim, I. Lee, M. Choi, Z. Li, J. Wang, K. Yang, Y-P. Chen, J. Dong, M. Cho, G. Kim, W-K. Chang, Y-S. Chen, Y-D. Chih, D. Blaauw, and D. Sylvester, "A 1Mb Embedded NOR Flash Memory with  $39\mu\text{W}$  Program Power for mm-Scale High-Temperature Sensor Nodes," *IEEE International Solid-State Circuits Conference*, 2017.
207. S. Bang, J. Wang, Z. Li, C. Gao, Y. Kim, Q. Dong, Y-P. Chen, L. Fick, X. Sun, R. Dreslinski, T. Mudge, H. S. Kim, D. Blaauw, and D. Sylvester, "A  $288\mu\text{W}$  Programmable Deep-Learning Processor with 270KB On-Chip Weight Storage Using Non-Uniform Memory Hierarchy for Mobile Intelligence," *IEEE International Solid-State Circuits Conference*, 2017.
208. S. Jeong, Y. Chen, T. Jang, J. Tsai, D. Blaauw, H-S. Kim, and D. Sylvester, "A 12nW Always-On Acoustic Sensing and Object Recognition Microsystem Using Frequency-Domain Feature Extraction and SVM Classification," *IEEE International Solid-State Circuits Conference*, 2017.
209. X. Wu, K. Choo, Y. Shi, L-X. Chuo, D. Sylvester, and D. Blaauw, "A Fully Integrated Counter-Flow Energy Reservoir for 70%-Efficient Peak-Power Delivery in Ultra-Low-Power Systems," *IEEE International Solid-State Circuits Conference*, 2017.
210. N. Pinckney, D. Sylvester, and D. Blaauw, "Supply boosting for high-performance processors in flip-chip packages," *IEEE European Solid-State Circuits Conference*, 2016.
211. S.M.A. Zeinolabedin, A.T. Do, D. Jeon, D. Sylvester, and T.T. Kim, "A 128-channel spike sorting processor featuring  $0.175\mu\text{W}$  and  $0.0033\text{ mm}^2$  per channel in 65nm CMOS," *ACM/IEEE International Symposium on Low Power Electronics and Design*, design contest winner, 2016.
212. M. Shim, S-H. Jeong, P. Myers, S. Bang, C. Kim, D. Sylvester, D. Blaauw, and W. Jung, "An oscillator collapse-based comparator with application in a 74.1dB SNDR, 20kS/s 15b SAR ADC," *IEEE Symposium on VLSI Circuits*, 2016.
213. Y. Zhang, K. Yang, M. Saligane, D. Blaauw, and D. Sylvester, "A compact 446 Gbps/W AES accelerator for mobile SoC and IoT in 40nm," *IEEE Symposium on VLSI Circuits*, 2016.
214. W. Lim, T. Jang, I. Lee, H-S. Kim, D. Sylvester, and D. Blaauw, "A  $380\text{pW}$  dual mode optical wakeup receiver with ambient noise cancellation," *IEEE Symposium on VLSI Circuits*, 2016.
215. X. Wu, Y. Shi, S. Jeloka, K. Yang, L-X. Chuo, I. Lee, D. Sylvester, and D. Blaauw, "A  $66\text{pW}$  discontinuous switch-capacitor energy harvester for self-sustaining sensor applications," *IEEE Symposium on VLSI Circuits*, 2016.
216. S. Oh, N.L. Ba, S. Bang, J. Jeong, D. Blaauw, T.T. Kim, and D. Sylvester, "A  $260\mu\text{W}$  infrared gesture recognition system-on-chip for smart devices," *IEEE Symposium on VLSI Circuits*, 2016.
217. S.M.A. Zeinolabedin, A.T. Do, D. Jeon, D. Sylvester, and T.T. Kim, "A 128-channel spike sorting processor featuring  $0.175\mu\text{W}$  and  $0.0033\text{ mm}^2$  per channel in 65nm CMOS," *IEEE Symposium on VLSI Circuits*, 2016.
218. Q. Dong, K. Yang, D. Blaauw, and D. Sylvester, "A  $114\text{pW}$  PMOS-only trim-free reference voltage with 0.26% within-wafer inaccuracy for nW systems," *IEEE Symposium on VLSI Circuits*, 2016.
219. N. Pinckney, L. Shifren, B. Cline, S. Sinha, S. Jeloka, R. Dreslinski, T. Mudge, D. Sylvester, and D. Blaauw, "Near-threshold computing in FinFET technologies: opportunities for improved voltage scalability," *ACM/IEEE Design Automation Conference*, 2016.
220. T. Jang, M. Choi, D. Sylvester, and D. Blaauw, "Millimeter scale computing platform for next generation of internet of things," *IEEE International Conference on RFID*, 2016. [invited]



221. K. Yang, M. Hicks, T. Austin, and D. Sylvester, "A2: Analog malicious hardware," *IEEE Symposium on Security and Privacy*, 2016. **[best paper award, 1/413 submitted papers]**
222. T. Jang, M. Choi, S-H. Jeong, S. Bang, D. Sylvester, and D. Blaauw, "A 4.7nW 13ppm/°C self-biased wakeup timer using a switched resistor scheme," *IEEE International Solid-State Circuits Conference*, 2016.
223. I. Lee, W. Lim, A. Teran, J. Phillips, D. Sylvester, and D. Blaauw, "A >78% efficient light harvester over 100-to-100klux with reconfigurable PV-cell network and MPPT circuit," *IEEE International Solid-State Circuits Conference*, 2016.
224. Y. Zhang, M. Khayatzadeh, K. Yang, M. Saligane, M. Alioto, D. Blaauw, and D. Sylvester, "iRazor: 3-transistor current-based error detection in an ARM Cortex-R4 processor," *IEEE International Solid-State Circuits Conference*, 2016.
225. W. Jung, D. Sylvester, and D. Blaauw, "A rational conversion ratio switched-capacitor DC-DC converter using negative output feedback," *IEEE International Solid-State Circuits Conference*, 2016.
226. M. Choi, T. Jang, J. Jeong, S-H. Jeong, D. Blaauw, and D. Sylvester, "A current-mode wireless power receiver with optimal resonant cycle tracking for implantable systems," *IEEE International Solid-State Circuits Conference*, 2016.
227. W. Jung, J. Gu, P. Myers, M. Shim, S-H. Jeong, K. Yang, M. Choi, Z. Foo, D. Sylvester, and D. Blaauw, "A 60%-efficiency 20nW-500uW tri-output fully-integrated power management unit with environmental adaptation and load-proportional biasing for IoT systems," *IEEE International Solid-State Circuits Conference*, 2016.
228. S. Skrzyniarz, L. Fick, J. Shah, Y. Kim, D. Sylvester, D. Blaauw, D. Fick, and M.B. Henry, "A 36.8 TOPS/W self-calibrating GPS accelerator implemented using analog calculation in 65nm LP-CMOS," *IEEE International Solid-State Circuits Conference*, 2016.
229. M. Khayatzadeh, M. Saligane, J. Wang, M. Alioto, D. Blaauw, and D. Sylvester, "A reconfigurable dual-port memory with error detection and correction in 28nm FDSOI," *IEEE International Solid-State Circuits Conference*, 2016.
230. J. Wang, N. Pinckney, D. Blaauw, and D. Sylvester, "Reconfigurable self-timed regenerators for wide-range voltage scaled interconnect," *IEEE Asian Solid-State Circuits Conference*, 2015.
231. M. Shah, J. Wang, D. Blaauw, D. Sylvester, H.S. Kim, and C. Chakrabarti, "A fixed-point neural network for keyword detection on resource constrained hardware," *IEEE International Workshop on Signal Processing Systems*, 2015.
232. F. Frustaci, D. Blaauw, D. Sylvester, and M. Alioto, "Better than voltage scaling energy reduction approximate SRAMs via bit dropping and bit reuse," *International Workshop on Power and Timing Modeling, Optimization, and Simulation*, 2015.
233. Inhee Lee, Wanyeong Jung, Hyunsoo Ha, Seokhyeong Jeong, Yejoong Kim, Zhiyoong Foo, Jae-Yoon Sim, Dennis Sylvester, David Blaauw, "An Ultra-Low-Power Biomedical Chip for Injectable Pressure Monitor," *IEEE Biomedical Circuits & Systems Conference (BIOCAS)*, 2015.
234. M. Saligane, M. Khayatzadeh, Y. Zhang, S-H. Jeong, D. Blaauw, and D. Sylvester, "All-digital SoC thermal sensor using on-chip high order temperature curvature correction," *IEEE Custom Integrated Circuits Conference*, 2015.
235. T. Jang, S-H. Jeong, M. Choi, W. Jung, G. Kim, Y-P. Chen, Y. Kim, W. Lim, D. Sylvester, and D. Blaauw, "FOCUS: Key building blocks and integration strategy of a miniaturized wireless sensor node," *IEEE European Solid-State Circuits Conference*, 2015.
236. S-H. Jeong, W. Jung, D. Jeon, O. Berenfeld, H. Oral, G. Kruger, D. Blaauw, and D. Sylvester, "A 120nW 8b sub-ranging ADC with signal-dependent charge recycling for biomedical applications," *IEEE Symposium on VLSI Circuits*, 2015.

237. M. Khayatzadeh, F. Frustaci, D. Blaauw, D. Sylvester, and M. Alioto, "A reconfigurable sense amplifier with  $3\times$  offset reduction in 28nm FDSOI CMOS," *IEEE Symposium on VLSI Circuits*, 2015.
238. S. Jeloka, N. Akesh, D. Sylvester, and D. Blaauw, "A configurable TCAM/BCAM/SRAM using 28nm push-rule 6T bitcell," *IEEE Symposium on VLSI Circuits*, 2015.
239. S. Bang, J-S. Seo, I. Lee, S-H. Jeong, N. Pinckney, D. Blaauw, D. Sylvester, and L. Chang, "A fully-integrated 40-phase flying-capacitance-dithered switched-capacitor voltage regulator with 6mV output ripple," *IEEE Symposium on VLSI Circuits*, 2015.
240. D. Jeon, Q. Dong, Y. Kim, X. Wang, S. Chen, H. Yu, D. Blaauw, and D. Sylvester, "A 23mW face recognition accelerator in 40nm CMOS with mostly-read 5T memory," *IEEE Symposium on VLSI Circuits*, 2015.
241. M. Choi, J. Gu, D. Blaauw, and D. Sylvester, "Wide input range 1.7uW 1.2kS/s resistive sensor interface circuit with 1 cycle/sample logarithmic sub-ranging," *IEEE Symposium on VLSI Circuits*, 2015.
242. M. Choi, S. Bang, T-K. Jang, D. Blaauw, and D. Sylvester, "A 99nW 70.4kHz resistive frequency locking on-chip oscillator with 27.4ppm/C temperature stability," *IEEE Symposium on VLSI Circuits*, 2015.
243. K. Yang, D. Blaauw, and D. Sylvester, "A robust  $-40$  to  $120^{\circ}\text{C}$  all-digital true random number generator in 40nm CMOS," *IEEE Symposium on VLSI Circuits*, 2015.
244. H. Kim, G. Kim, Y. Lee, Z. Foo, D. Sylvester, D. Blaauw, and D. Wentzloff, "A  $9.4\text{mm}^3$  fully-integrated, wireless sensor node with 8.7GHz UWB transmitter," *IEEE Symposium on VLSI Circuits*, 2015.
245. Q. Dong, K. Yang, L. Freyman, D. Fick, D. Blaauw, and D. Sylvester, "Racetrack converter: low power and compact ADC/TDC using racetrack spintronic devices," *IEEE International Symposium on Circuits and Systems*, 2015. **[Best Student Paper Award]**
246. W. Lim, I. Lee, D. Sylvester, and D. Blaauw, "Battery-less, sub-nW Cortex M0+ processor with dynamic leakage-suppression logic," *IEEE International Solid-State Circuits Conference*, 2015.
247. K. Yang, Q. Dong, D. Blaauw, and D. Sylvester, "A physical unclonable function with  $\text{BER} < 10^{-8}$  for robust chip authentication using oscillator collapse in 40nm CMOS," *IEEE International Solid-State Circuits Conference*, 2015.
248. W. Jung, S-H. Jeong, D. Sylvester, and D. Blaauw, "A 0.7pF to 10nF, fully-digital capacitance-to-digital converter using iterative delay-chain discharge," *IEEE International Solid-State Circuits Conference*, 2015.
249. S. Clerc, M. Saligane, F. Abouzeid, M. Cochet, J-M. Daveau, C. Bottoni, D. Bol, J. De-Vos, D. Zamora, D. Soussan, D. Croain, M. Naceur, P. Schamberger, P. Roche, and D. Sylvester, "A 0.33V/ $-40^{\circ}\text{C}$  process temperature close-loop compensation SoC embedding all-digital clock multiplier and DC-DC converter exploiting FDSOI 28nm back-gate biasing," *IEEE International Solid-State Circuits Conference*, 2015.
250. M. Cochet, B. Pelloux-Prayer, M. Saligane, S. Clerc, P. Roche, J-L. Autran, and D. Sylvester, "Experimental model of adaptive body biasing for energy efficiency in 28nm UTBB FD-SOI," *IEEE SOI-3D-Subthreshold Microelectronics Technology Unified Conference*, 2014.
251. M.H. Ghaed, S. Skrzyniarz, D. Blaauw, and D. Sylvester, "A 1.6nJ/bit, 19.9 $\mu\text{A}$  peak current fully integrated  $2.5\text{mm}^2$  inductive transceiver for volume-constrained microsystems," *IEEE Custom Integrated Circuits Conference*, 2014.
252. S-H. Jeong, I. Lee, D. Blaauw, and D. Sylvester, "A 5.8nW, 45ppm/ $^{\circ}\text{C}$  on-chip CMOS wake-up timer using a constant charge subtraction scheme," *IEEE Custom Integrated Circuits Conference*, 2014.

253. I. Lee, Y. Kim, S. Bang, G. Kim, H. Ha, Y-P. Chen, D. Jeon, S. Jeong, W. Jung, M.H. Ghaed, Z. Foo, Y. Lee, J-Y. Sim, D. Sylvester, and D. Blaauw, "Circuit techniques for miniaturized biomedical sensors," *IEEE Custom Integrated Circuits Conference*, 2014. **[invited]**
254. D. Fick, G. Kim, A. Wang, D. Blaauw, and D. Sylvester, "Mixed-signal stochastic computation demonstrated in an image sensor with integrated 2D edge detection and noise filtering," *IEEE Custom Integrated Circuits Conference*, 2014.
255. M. Choi, I. Lee, T-K. Jang, D. Blaauw, and D. Sylvester, "A 23pW, 780 ppm/°C resistor-less current reference using subthreshold MOSFETs," *IEEE European Solid-State Circuits Conference*, 2014.
256. S. Oh, Y. Lee, J. Wang, Z. Foo, Y. Kim, D. Blaauw, and D. Sylvester, "A 9.7b, 0.85pJ/conv-step dual-slope capacitance to digital converter integrated in an implantable pressure sensing system," *IEEE European Solid-State Circuits Conference*, 2014.
257. D. Blaauw, D. Sylvester, P. Dutta, Y. Lee, I. Lee, S. Bang, Y. Kim, G. Kim, P. Pannuto, Y-S. Kuo, D. Yoon, W. Jung, Z. Foo, Y-P. Chen, S. Oh, S. Jeong, M. Choi, "IoT design space challenges: circuits and systems," *IEEE Symposium on VLSI Technology*, 2014. **[invited]**
258. G. Kim, Y. Lee, Z. Foo, P. Pannuto, Y-S. Kuo, B. Kempke, M.H. Ghaed, S. Bang, I. Lee, Y. Kim, S-H. Jeong, P. Dutta, D. Sylvester, and D. Blaauw, "A millimeter-scale wireless imaging system with continuous motion detection and energy harvesting," *IEEE Symposium on VLSI Circuits*, 2014.
259. I. Lee, Y. Lee, D. Sylvester, and D. Blaauw, "Low power battery supervisory circuit with adaptive battery health monitor," *IEEE Symposium on VLSI Circuits*, 2014.
260. S. Oh, W. Jung, K. Yang, D. Blaauw, and D. Sylvester, "15.4b incremental sigma-delta capacitance-to-digital converter with zoom-in 9b asynchronous SAR," *IEEE Symposium on VLSI Circuits*, 2014.
261. Y-P. Chen, D. Blaauw, and D. Sylvester, "A 266nW multi-chopper amplifier with 1.38 noise efficiency factor for neural signal recording," *IEEE Symposium on VLSI Circuits*, 2014.
262. G. Kim, A. Wolfe, R. Bell, S. Bang, Y. Lee, I. Lee, Y. Kim, L. Hsu, J. Kagan, M. Arias-Thode, B. Chadwick, D. Sylvester, and D. Blaauw, "Chip-on-mud: ultra-low power ARM-based oceanic sensing system powered by small-scale benthic microbial fuel cells," *IEEE International Symposium on Circuits and Systems*, pp. 1985-1988, 2014.
263. Y. Wang, H. Yu, D. Sylvester, and P. Kong, "Energy efficient in-memory AES encryption based on non-volatile domain-wall nanowire," *ACM/IEEE Design, Automation, and Test in Europe*, 2014.
264. F. Frustaci, M. Khayatzadeh, D. Blaauw, D. Sylvester, and M. Alioto, "A 32kb SRAM for error-free and error-tolerant applications with dynamic energy-quality management in 28nm CMOS," *IEEE International Solid-State Circuits Conference*, 2014.
265. H. Ha, D. Sylvester, D. Blaauw, and J-Y. Sim, "A 160nW 63.9fJ/conversion-step capacitance-to-digital converter for ultra-low power wireless sensor nodes," *IEEE International Solid-State Circuits Conference*, 2014.
266. K. Yang, D. Fick, M. Henry, D. Blaauw, and D. Sylvester, "A 23Mb/s, 23pJ/bit fully-synthesized true random number generator in 28nm and 65nm CMOS," *IEEE International Solid-State Circuits Conference*, 2014.
267. B. Giridhar, N. Pinckney, D. Sylvester, and D. Blaauw, "A reconfigurable sense amplifier design with auto-zero calibration and pre-amplification in 28nm CMOS," *IEEE International Solid-State Circuits Conference*, 2014.
268. Y. Kim, W. Jung, I. Lee, Q. Dong, M. Henry, D. Sylvester, and D. Blaauw, "A static, contention-free, and single-phase clocked 24-T flip-flop in 45nm for low power applications," *IEEE International Solid-State Circuits Conference*, 2014.
269. W. Jung, S. Oh, S. Bang, D. Sylvester, and D. Blaauw, "A 3nW fully integrated energy harvester based on self-oscillating switched capacitor DC-DC converter," *IEEE International Solid-State Circuits Conference*, 2014.

270. D. Jeon, Y-P. Chen, Y. Lee, Y. Kim, Z. Foo, G. Kruger, H. Oral, O. Berenfeld, Z. Zhang, D. Blaauw, and D. Sylvester, "An implantable 64nW ECG monitoring mixed-signal SoC for arrhythmia diagnosis," *IEEE International Solid-State Circuits Conference*, 2014.
271. L. Freyman, D. Fick, D. Blaauw, D. Sylvester, and M. Alioto, "A 346 $\mu\text{m}^2$  reference-free sensor interface for highly constrained microsystems in 28nm CMOS," *IEEE Asian Solid-State Circuits Conference*, pp. 105-108, 2013.
272. Y-P. Chen, Y. Lee, J-Y. Sim, M. Alioto, D. Blaauw, and D. Sylvester, "45pW ESD clamp circuit for ultra-low power applications," *IEEE Custom Integrated Circuits Conference*, 2013.
273. S. Jeong, J-Y. Sim, D. Blaauw, and D. Sylvester, "A 65nW temperature sensor for ultra-low power microsystems," *IEEE Custom Integrated Circuits Conference*, 2013.
274. B. Giridhar, M. Fojtik, D. Fick, N. Abeyratne, R. Das, D. Sylvester, and D. Blaauw, "Pulse amplification based dynamic synchronizers with metastability measurement using capacitance de-rating," *IEEE Custom Integrated Circuits Conference*, 2013.
275. I. Lee, S. Bang, D. Yoon, M. Choi, S. Jeong, D. Sylvester, and D. Blaauw, "A ripple voltage sensing MPPT circuit for ultra-low power microsystems," *IEEE Symposium on VLSI Circuits*, 2013.
276. N. Pinckney, M. Fojtik, B. Giridhar, D. Sylvester, and D. Blaauw, "Shortstop: An on-chip fast supply boosting technique," *IEEE Symposium on VLSI Circuits*, 2013.
277. D. Jeon, Y. Kim, I. Lee, Z. Zhang, D. Blaauw, and D. Sylvester, "A low-power VGA full-frame feature extraction processor," *IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP)*, 2013.
278. S. Bang, Y. Lee, I. Lee, Y. Kim, D. Blaauw, and D. Sylvester, "Fully integrated switched-capacitor based PMU with adaptive energy harvesting technique for ultra-low power sensing applications," *IEEE International Symposium on Circuits and Systems*, 2013.
279. D. Jeon, Y. Kim, I. Lee, Z. Zhang, D. Blaauw, and D. Sylvester, "A 470mV 2.7mW feature extraction accelerator for micro autonomous vehicle navigation in 28nm CMOS," *IEEE International Solid-State Circuits Conference*, 2013.
280. G. Kim, M. Barangi, Z. Foo, N. Pinckney, S. Bang, D. Blaauw, and D. Sylvester, "A 467nW CMOS visual motion sensor with temporal averaging and pixel aggregation," *IEEE International Solid-State Circuits Conference*, 2013.
281. S-J. Kim, I. Kwon, D. Fick, M. Kim, Y-P. Chen, and D. Sylvester, "Razor-Lite: A side-channel error detection register for timing margin recovery in 45nm SOI CMOS," *IEEE International Solid-State Circuits Conference*, 2013.
282. S. Bang, A. Wang, B. Giridhar, D. Blaauw, and D. Sylvester, "A fully integrated successive-approximation switched-capacitor DC-DC converter with 31mV output voltage resolution," *IEEE International Solid-State Circuits Conference*, 2013.
283. S-K. Lee, S-H. Lee, D. Sylvester, D. Blaauw, and J-Y. Sim, "A 95fJ/b current-mode transceiver for 10mm on-chip interconnect," *IEEE International Solid-State Circuits Conference*, 2013.
284. D-W. Jee, D. Sylvester, D. Blaauw, and J-Y. Sim, "A 0.45V, 423nW, 3.2MHz multiplying DLL with leakage-based oscillator for ultra-low power sensor platforms," *IEEE International Solid-State Circuits Conference*, 2013.
285. D. Blaauw, D. Sylvester, Y. Lee, I. Lee, S. Bang, Y. Kim, G. Kim, H. Ghaed, "From digital processors to analog building blocks: enabling new applications through ultra-low voltage design," *IEEE Subthreshold Microelectronics Conference*, 2012.
286. Y. Kim, Y. Lee, D. Sylvester, and D. Blaauw, "SLC: Split-control level converter for dense and stable wide-range voltage conversion," *IEEE European Solid-State Circuits Conference*, 2012.

287. S. Bang, D. Blaauw, D. Sylvester, and M. Alioto, "Reconfigurable sleep transistor for GIDL reduction in ultra-low standby power systems," *IEEE Custom Integrated Circuits Conference*, 2012. **[Intel/Analog Devices/Catalyst Foundation CICC Student Scholarship Award]**
288. G. Kim, Y. Lee, S. Bang, I. Lee, Y. Kim, D. Sylvester, and D. Blaauw, "A 695pW standby power optical wake-up receiver for wireless sensor nodes," *IEEE Custom Integrated Circuits Conference*, 2012.
289. R. Dreslinski, T. Manville, K. Sewell, R. Das, N. Pinckney, S. Satpathy, D. Blaauw, D. Sylvester, and T. Mudge, "XPoint cache: scaling existing bus based coherence protocols for 2D and 3D many-core systems," *ACM/IEEE International Conference on Parallel Architectures and Compilation Techniques*, 2012.
290. D. Kim, V. Chandra, R. Aitken, D. Blaauw, and D. Sylvester, "An adaptive write word-length pulse width and voltage modulation architecture for bit-interleaved 8T SRAMs," *ACM/IEEE International Symposium on Low Power Electronics and Design*, 2012.
291. N. Pinckney, K. Sewell, R.G. Dreslinski, D. Fick, D. Sylvester, T. Mudge, and D. Blaauw, "Assessing the performance limits of parallelized near-threshold computing," *ACM/IEEE Design Automation Conference*, 2012.
292. Y. Lee, Y. Kim, D. Yoon, D. Blaauw, and D. Sylvester, "Circuit and system design guidelines for ultra-low power sensor nodes," *ACM/IEEE Design Automation Conference*, 2012.
293. S. Satpathy, R. Das, R.G. Dreslinski, T. Mudge, D. Sylvester, and D. Blaauw, "High radix self-arbitrating switch fabric with multiple arbitration schemes and quality of service," *ACM/IEEE Design Automation Conference*, 2012.
294. S. Satpathy, D. Sylvester, and D. Blaauw, "A standard cell compatible bidirectional repeater with thyristor assist," *IEEE Symposium on VLSI Circuits*, pp. 174-175, 2012.
295. Y-S. Park, D. Blaauw, D. Sylvester, and Z. Zhang, "A 1.6mm<sup>2</sup> 38mW 1.5Gb/s LDPC decoder enabled by refresh-free embedded DRAM," *IEEE Symposium on VLSI Circuits*, pp. 114-115, 2012.
296. Y-P. Chen, M. Fojtik, D. Blaauw, and D. Sylvester, "A 2.98nW bandgap voltage reference using a self-tuning low leakage sample and hold," *IEEE Symposium on VLSI Circuits*, pp. 200-201, 2012.
297. I. Lee, S. Bang, Y. Lee, Y. Kim, G. Kim, D. Sylvester, and D. Blaauw, "A 635pW battery voltage supervisory circuit for miniature sensor nodes," *IEEE Symposium on VLSI Circuits*, pp. 202-203, 2012.
298. M. Seok, D. Jeon, C. Chakrabarti, D. Blaauw, and D. Sylvester, "Extending energy-saving voltage scaling in ultra low voltage integrated circuit designs," *IEEE International Conference on IC Design & Technology*, 2012. **[invited]**
299. P. Pannuto, Y. Lee, B. Kempke, D. Sylvester, D. Blaauw, and P. Dutta, "Ultra-constrained sensor platform interfacing," *International Conference on Information Processing in Sensor Networks*, pp. 147 - 148, 2012.
300. M.H. Ghaed, M.M. Ghahramani, G. Chen, M. Fojtik, D. Blaauw, M.P. Flynn, and D. Sylvester, "Low power wireless sensor networks for infrastructure monitoring," *SPIE Smart Structures and Materials*, 2012. **[invited]**
301. M. Fojtik, D. Fick, Y. Kim, N. Pinckney, D. Harris, D. Blaauw, and D. Sylvester, "Bubble Razor: An architecture-independent approach to timing-error detection and correction," *IEEE International Solid-State Circuits Conference*, 2012.
302. Y. Lee, G. Kim, S. Bang, Y. Kim, I. Lee, P. Dutta, D. Sylvester, and D. Blaauw, "A modular 1mm<sup>3</sup> die-stacked sensing platform with optical communication and multi-modal energy harvesting," *IEEE International Solid-State Circuits Conference*, 2012.
303. D. Yoon, D. Sylvester, and D. Blaauw, "A 5.58nW 32.768kHz DLL-assisted XO for real-time clocks in wireless sensing applications," *IEEE International Solid-State Circuits Conference*, 2012.

304. D. Fick, R. Dreslinski, B. Giridhar, G. Kim, S. Seo, M. Fojtik, S. Satpathy, Y. Lee, D. Kim, N. Liu, M. Wieckowski, G. Chen, T. Mudge, D. Sylvester, and D. Blaauw, "Centip3De: A 3930 DMIPS/W configurable near-threshold 3D stacked system with 64 ARM Cortex-M3 cores," *IEEE International Solid-State Circuits Conference*, 2012.
305. S. Satpathy, K. Sewell, T. Manville, Y-P. Chen, R. Dreslinski, D. Sylvester, T. Mudge, and D. Blaauw, "A 4.5Tb/s 3.4Tb/s/W 64x64 switch fabric with self-updating least-recently-granted priority and quality-of-service arbitration in 45nm CMOS," *IEEE International Solid-State Circuits Conference*, 2012.
306. V. Joshi, K. Agarwal, and D. Sylvester, "Design-patterning co-optimization of SRAM robustness for double patterning lithography," *ACM/IEEE Asia-South Pacific Design Automation Conference*, 2012.
307. M.H. Ghaed, G. Chen, D. Blaauw, and D. Sylvester, "Analysis and measurement of the stability of dual-resonator oscillators," *IEEE Radio and Wireless Symposium*, 2012.
308. Y. Lee, D. Sylvester, and D. Blaauw, "Synchronization of ultra-low power wireless sensor nodes," *IEEE International Midwest Symposium on Circuits and Systems*, 2011. **[invited]**
309. D. Kim, V. Chandra, R. Aitken, D. Blaauw, and D. Sylvester, "Variation-aware static and dynamic writability analysis for bit-interleaved SRAMs," *ACM/IEEE International Symposium on Low Power Electronics Design*, 2011.
310. S. Satpathy, R. Dreslinski, T-C. Ou, D. Sylvester, T. Mudge, and D. Blaauw, "SWIFT: A 2.1Tb/s 32x32 self-arbitrating cache-core interconnect fabric," *IEEE Symposium on VLSI Circuits*, 2011.
311. B. Giridhar, D. Fick, M. Fojtik, S. Satpathy, D. Bull, D. Sylvester, and D. Blaauw, "Adaptive robustness tuning for high performance domino logic," *IEEE Symposium on VLSI Circuits*, 2011.
312. Y. Kim, D. Sylvester, and D. Blaauw, "LC<sup>2</sup>: limited contention level converter for robust wide-range voltage conversion," *IEEE Symposium on VLSI Circuits*, 2011.
313. N. Liu, S. Hanson, N. Pinckney, D. Sylvester, and D. Blaauw, "A true random number generator using time-dependent dielectric breakdown," *IEEE Symposium on VLSI Circuits*, 2011.
314. M.H. Ghaed, D. Blaauw, and D. Sylvester, "A dual-passband filter architecture for dual-band systems," *IEEE International Symposium on Antennas and Propagation*, 2011.
315. M. Seok, D. Jeon, C. Chakrabarti, D. Blaauw, and D. Sylvester, "Pipeline strategy for improving optimal energy efficiency in ultra-low voltage design," *ACM/IEEE Design Automation Conference*, 2011.
316. D. Jeon, M. Seok, C. Chakrabarti, D. Blaauw, and D. Sylvester, "Energy-optimized high-performance FFT processor," *IEEE International Conference on Acoustics, Speech, and Signal Processing*, 2011.
317. D. Fick, R.G. Dreslinski, B. Giridhar, G. Kim, S. Seo, M. Fojtik, S. Satpathy, Y. Lee, D. Kim, N. Liu, M. Wieckowski, G. Chen, T. Mudge, D. Sylvester, and D. Blaauw, "Design and Implementation of Centip3De, a 7-layer Many-Core System," *ACM/IEEE Design Automation Conference, DAC/ISSCC student design contest award winner*, 2011.
318. D. Kim, G. Chen, M. Fojtik, M. Seok, D. Blaauw, and D. Sylvester, "A 1.85fW/bit ultra low leakage 10T SRAM with speed compensation scheme," *IEEE International Symposium on Circuits and Systems*, 2011.
319. G. Chen, M. Wieckowski, D. Blaauw, and D. Sylvester, "A dense 45nm half-differential SRAM with lower minimum operating voltage," *IEEE International Symposium on Circuits and Systems*, 2011.
320. M. Wieckowski, G. Chen, D. Kim, D. Blaauw, and D. Sylvester, "A 128kb high density portless SRAM using hierarchical bitlines and thyristor sense amplifiers," *IEEE International Symposium on Quality Electronic Design*, 2011.

321. C-H. Chen, Y. Kim, Z. Zhang, D. Blaauw, D. Sylvester, H. Naeimi, and S. Sandhu, "A confidence-driven model for error-resilient computing," *ACM/IEEE Design, Automation, and Test in Europe*, 2011.
322. Y. Lee, B. Giridhar, Z. Foo, D. Sylvester, and D. Blaauw, "A 660pW multi-stage temperature compensated timer for ultra-low power wireless sensor node synchronization," *IEEE International Solid-State Circuits Conference*, pp. 46-47, 2011.
323. M. Seok, D. Jeon, C. Chakrabarti, D. Blaauw, and D. Sylvester, "A 0.27V, 30MHz, 17.7nJ/transform 1024-pt complex FFT core with super-pipelining," *IEEE International Solid-State Circuits Conference*, pp. 342-343, 2011.
324. G. Chen, H. Ghaed, R. Ul-Haque, M. Wieckowski, Y. Kim, G. Kim, D. Fick, D. Kim, M. Seok, K. Wise, D. Blaauw, and D. Sylvester, "A cubic millimeter energy-autonomous wireless intraocular pressure monitor," *IEEE International Solid-State Circuits Conference*, pp. 310-311, 2011.
325. Y. Lee, M-T. Chen, J. Park, D. Sylvester, and D. Blaauw, "A 5.42nW/kB retention power logic-compatible embedded DRAM with 2T dual-Vt gain cell for low power sensing applications," *IEEE Asian Solid-State Circuits Conference*, 2010.
326. V. Veetil, D. Blaauw, and D. Sylvester, "A lower bound computation method for evaluation of statistical design techniques," *IEEE/ACM International Conference on Computer-Aided Design*, pp. 562-569, 2010.
327. C. Zhuo, K. Agarwal, D. Sylvester, and D. Blaauw, "Active learning framework for post-silicon variation extraction and test cost reduction," *IEEE/ACM International Conference on Computer-Aided Design*, pp. 508-515, 2010.
328. V. Joshi, D. Blaauw, D. Sylvester, "Analysis and optimization of SRAM robustness for double patterning lithography," *IEEE/ACM International Conference on Computer-Aided Design*, pp. 25-31, 2010.
329. P. Singh, E. Karl, D. Sylvester, and D. Blaauw, "Dynamic NBTI management using a 45nm multi-degradation sensor," *IEEE Custom Integrated Circuits Conference*, 2010. **[Intel/CICC Student Scholarship Award]**
330. V. Joshi, M. Wieckowski, G.K. Chen, D. Blaauw, and D. Sylvester, "Analyzing the impact of double patterning lithography on SRAM variability in 45nm CMOS," *IEEE Custom Integrated Circuits Conference*, 2010. **[AMD/CICC Student Scholarship Award]**
331. Y. Lee, G. Chen, S. Hanson, D. Sylvester, and D. Blaauw, "Ultra-low power circuit techniques for a new class of sub-mm<sup>3</sup> sensor nodes," *IEEE Custom Integrated Circuits Conference*, 2010. **[invited]**
332. G. Chen, M. Wieckowski, D. Blaauw, and D. Sylvester, "Crosshairs SRAM – an adaptive memory for mitigating parametric failures," *IEEE European Solid-State Circuits Conference*, pp. 366-369, 2010.
333. M. Seok, G. Kim, D. Blaauw, and D. Sylvester, "Variability analysis of a digitally trimmable ultra-low power voltage reference," *IEEE European Solid-State Circuits Conference*, pp. 110-113, 2010.
334. M. Seok, D. Blaauw, and D. Sylvester, "Clock network design for ultra-low power applications," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 271-276, 2010.
335. S.K. Satpathy, Z. Foo, B. Giridhar, R. Dreslinski, D. Sylvester, T. Mudge, and D. Blaauw, "A 1.07 Tbit/s 128×128 swizzle network for SIMD processors," *IEEE Symposium on VLSI Circuits*, pp. 81-82, 2010.
336. N. Liu, S. Hanson, D. Sylvester, and D. Blaauw, "OxID: on-chip one-time random ID generation using oxide breakdown," *IEEE Symposium on VLSI Circuits*, pp. 231-232, 2010.
337. M. Kurata, J.P. Lynch, T. Galchev, M.P. Flynn, P. Hipley, V. Jacob, G. van der Linden, A. Mortazawi, K. Najafi, R.L. Peterson, L-H. Sheng, D. Sylvester, and E. Thometz, "Two-Tiered Self-

- Powered Wireless Monitoring System Architecture for Bridge Health Management," *SPIE Smart Structures and Materials*, San Diego, CA, 2010. [invited]
338. V. Joshi, V. Suhkarev, A. Torres, K. Agarwal, D. Sylvester, and D. Blaauw, "Closed-form modeling of layout-dependent mechanical stress," *ACM/IEEE Design Automation Conference*, pp. 673-678, 2010.
339. V. Veetil, Y-H. Chang, D. Sylvester, and D. Blaauw, "Efficient smart Monte Carlo based SSTA on graphics processing units with improved resource utilization," *ACM/IEEE Design Automation Conference*, pp. 793-798, 2010.
340. P. Singh, D. Sylvester, and D. Blaauw, "Reliability margin elimination using *in situ* oxide degradation monitoring," *IEEE International Reliability Physics Symposium*, 2010. [invited]
341. M. Seok, S. Hanson, M. Wieckowski, G. Chen, Y-S. Lin, D. Blaauw, and D. Sylvester, "Circuit design advances to enable ubiquitous sensing environments," *IEEE International Symposium on Circuits and Systems*, 2010. [invited]
342. D. Sylvester, "Circuit design advances for ultra-low power sensing platforms," *SPIE DSS10 Micro-Nanotechnology Sensors, Systems, and Applications Conference*, April 2010. [invited]
343. C. Zhuo, D. Blaauw, and D. Sylvester, "Process variation and temperature-aware reliability management," *ACM/IEEE Design, Automation, and Test in Europe*, pp. 580-585, 2010.
344. M. Wieckowski, D. Sylvester, D. Blaauw, V. Chandra, S. Idgunji, C. Pietrzyk, and R. Aitken, "A black box method for stability analysis of arbitrary SRAM cell structures," *ACM/IEEE Design, Automation, and Test in Europe*, pp. 795-800, 2010.
345. V. Joshi, K. Agarwal, D. Sylvester, and D. Blaauw, "Simultaneous extraction of effective gate length and low-field mobility in non-uniform devices," *IEEE International Symposium on Quality Electronics Design*, pp. 158-162, 2010.
346. P. Singh, Z. Foo, M. Wieckowski, S. Hanson, M. Fojtik, D. Blaauw, and D. Sylvester, "Early detection of oxide breakdown through *in situ* degradation sensing," *IEEE International Solid-State Circuits Conference*, pp. 190-191, 2010.
347. D. Fick, N. Liu, Z. Foo, M. Fojtik, J-S. Seo, D. Sylvester, and D. Blaauw, "In situ delay slack monitor for high-performance processors using an all-digital, self-calibrating 5ps resolution time-to-digital converter," *IEEE International Solid-State Circuits Conference*, pp. 188-189, 2010.
348. G. Chen, M. Fojtik, D. Kim, D. Fick, J. Park, M. Seok, M-T. Chen, Z. Foo, D. Sylvester, and D. Blaauw, "A millimeter-scale nearly-perpetual sensor system with stacked battery and solar cells," *IEEE International Solid-State Circuits Conference*, pp. 288-289, 2010.
349. J-S. Seo, R. Ho, J. Lexau, M. Dayringer, D. Sylvester, and D. Blaauw, "High bandwidth and low energy on-chip signaling with adaptive pre-emphasis in 90nm CMOS," *IEEE International Solid-State Circuits Conference*, pp. 182-183, 2010.
350. C. Zhuo, Y-H. Chang, D. Sylvester, and D. Blaauw, "Design time body bias selection for parametric yield improvement," *ACM/IEEE Asia/South Pacific Design Automation Conference (ASPDAC)*, pp. 681-688, 2010.
351. V. Joshi, K. Agarwal, D. Sylvester, and D. Blaauw, "Analyzing electrical effects of RTA-driven local anneal temperature variation," *ACM/IEEE Asia/South Pacific Design Automation Conference (ASPDAC)*, pp. 739-744, 2010.
352. R. Dreslinski, M. Wieckowski, D. Blaauw, D. Sylvester, and T. Mudge, "Overcoming Moore's curse: techniques for powering large transistor counts in sub-micron technologies", *Workshop on New Directions in Computer Architecture* (in conjunction with *IEEE/ACM International Symposium on Microarchitecture*), pp. 20-21, 2009.



353. C. Zhuo, D. Blaauw, and D. Sylvester, "Post-fabrication measurement-driven oxide breakdown reliability prediction and management," *IEEE International Conference on Computer-Aided Design*, pp. 441-448, 2009.
354. R. Gandikota, D. Blaauw, and D. Sylvester, "Interconnect performance corners considering crosstalk noise," *IEEE International Conference on Computer Design*, pp. 231-237, 2009.
355. M. Seok, G. Kim, D. Sylvester, and D. Blaauw, "A 0.5V 2.2pW 2-transistor voltage reference," *IEEE Custom Integrated Circuits Conference*, pp. 577-580, 2009. **[AMD/CICC Student Scholarship Award]**
356. Y-S. Lin, D. Sylvester, and D. Blaauw, "Near-field communication using phase-locking and pulse signaling for millimeter-scale systems," *IEEE Custom Integrated Circuits Conference*, pp. 563-566, 2009.
357. D. Kim, Y. Lee, J. Cai, L. Chang, S.J. Koester, D. Sylvester, and D. Blaauw, "Low power circuit design based on heterojunction tunneling transistors (HETTs)," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 219-224, 2009. **[best paper award]**
358. V. Veetil, D. Sylvester, D. Blaauw, S. Shah, and S. Rochel, "Efficient smart sampling based full-chip leakage analysis for intra-die variation considering state dependence," *ACM/IEEE Design Automation Conference*, pp. 154-159, 2009.
359. D. Fick, A. DeOrio, J. Hu, V. Bertacco, D. Blaauw, and D. Sylvester, "Vicis: a reliable network for unreliable silicon," *ACM/IEEE Design Automation Conference*, pp. 812-818, 2009.
360. M. Seok, S. Hanson, Y-S. Lin, Z. Foo, D. Kim, Y. Lee, N. Liu, D. Sylvester, and D. Blaauw, "Phoenix: an ultra-low power processor cubic millimeter sensor systems," *ACM/IEEE Design Automation Conference, DAC/ISSCC student design contest award winner*, 2009.
361. R. Dreslinski, D. Fick, D. Blaauw, D. Sylvester, and T. Mudge, "Reconfigurable multicore server processors for low power operation," *9<sup>th</sup> International Workshop on Systems, Architectures, Modeling and Simulation (SAMOS)*, pp. 247-254, 2009.
362. S. Hanson and D. Sylvester, "A 0.45-0.7V sub-microwatt CMOS image sensor for ultra-low power applications," *IEEE Symposium on VLSI Circuits*, pp. 176-177, 2009.
363. M. Wieckowski, G.K. Chen, M. Seok, D. Blaauw, and D. Sylvester, "A hybrid DC-DC converter for sub-microwatt sub-1V implantable applications," *IEEE Symposium on VLSI Circuits*, pp. 166-167, 2009.
364. J-S. Seo, D. Sylvester, and D. Blaauw, "Crosstalk-aware pulse width modulation based on-chip global signaling in 65nm CMOS," *IEEE Symposium on VLSI Circuits*, pp. 88-89, 2009.
365. D. Fick, A. DeOrio, G. Chen, V. Bertacco, D. Sylvester, and D. Blaauw, "A highly resilient routing algorithm for fault-tolerant NoCs," *ACM/IEEE Design, Automation, and Test in Europe*, pp. 21-26, 2009.
366. J.P. Lynch, K. Kamat, V.C. Li, M.P. Flynn, D. Sylvester, K. Najafi, T. Gordon, M. Lepech, A. Emami-Naeini, A. Krimotat, M. Ettouney, S. Alampalli, and T. Ozdemir, "Overview of a Cyber-enabled Wireless Monitoring System for the Protection and Management of Critical Infrastructure Systems," *SPIE Smart Structures and Materials*, 2009. **[invited]**
367. Y-S. Lin, D. Sylvester, and D. Blaauw, "A 150pW program-and-hold timer for ultra-low power sensor platforms," *IEEE International Solid-State Circuits Conference*, pp. 326-327, 2009.
368. D. Sylvester, S. Hanson, M. Seok, Y-S. Lin, and D. Blaauw, "Designing robust ultra-low power circuits," *IEEE International Electron Device Meetings*, pp. 423, 2008. **[invited]**
369. R. Dreslinski, G. Chen, T. Mudge, D. Blaauw, D. Sylvester, and K. Flautner, "Reconfigurable energy efficient near-threshold cache architectures," *International Symposium on Microarchitecture (MICRO)*, pp. 459-470, 2008.

370. K. Chopra, C. Zhuo, D. Blaauw, and D. Sylvester, "A statistical approach for full-chip gate oxide reliability analysis," *IEEE International Conference on Computer-Aided Design*, pp. 698-705, 2008.
371. B. Cline, V. Joshi, D. Sylvester, and D. Blaauw, "STEEL: A technique for stress-enhanced standard cell library design," *IEEE International Conference on Computer-Aided Design*, pp. 691-697, 2008.
372. J-S. Seo, I. Markov, D. Sylvester, and D. Blaauw, "On the decreasing significance of large standard cells in technology mapping," *IEEE International Conference on Computer-Aided Design*, pp. 116-121, 2008.
373. M. Seok, S. Hanson, J-S. Seo, D. Sylvester, and D. Blaauw, "Robust ultra-low voltage ROM design," *IEEE Custom Integrated Circuits Conference*, pp. 423-426, 2008.
374. M. Wiecekowski, Y-M. Park, C. Tokunaga, D-W. Kim, Z. Foo, D. Sylvester, and D. Blaauw, "Timing yield enhancement through soft edge flip-flop based design," *IEEE Custom Integrated Circuits Conference*, pp. 543-546, 2008.
375. Y-S. Lin, D. Sylvester, and D. Blaauw, "An ultra-low power 1V, 220nW temperature sensor for passive wireless applications," *IEEE Custom Integrated Circuits Conference*, pp. 507-510, 2008.
376. Y. Lee, M. Seok, S. Hanson, D. Blaauw, and D. Sylvester, "Standby power reduction techniques for ultra-low power processors," *IEEE European Solid-State Circuits Conference*, pp. 186-189, 2008.
377. M. Seok, D. Sylvester, and D. Blaauw, "Optimal technology selection for minimizing energy and variability in low voltage applications," *ACM/IEEE International Symposium on Low Power Electronics and Design*, pp. 9-14, 2008.
378. C. Zhuo, D. Blaauw, and D. Sylvester, "Variation-aware gate sizing and clustering for post-silicon optimized circuits," *ACM/IEEE International Symposium on Low Power Electronics and Design*, pp. 105-110, 2008.
379. Y-S. Lin and D. Sylvester, "Single stage level shifter design for subthreshold to I/O voltage conversion," *ACM/IEEE International Symposium on Low Power Electronics and Design*, pp. 197-200, 2008.
380. M. Seok, S. Hanson, Y-S. Lin, Z. Foo, D. Kim, Y. Lee, N. Liu, D. Sylvester, and D. Blaauw, "The Phoenix processor: a 30pW platform for sensor applications," *IEEE Symposium on VLSI Circuits*, pp. 188-189, 2008.
381. Y-S. Lin, D. Sylvester, and D. Blaauw, "Sensor data retrieval using alignment independent capacitive signaling," *IEEE Symposium on VLSI Circuits*, pp. 66-67, 2008.
382. V. Joshi, B. Cline, K. Agarwal, D. Sylvester, and D. Blaauw, "Leakage power reduction using stress-enhanced layouts," *ACM/IEEE Design Automation Conference*, pp. 912-917, 2008.
383. V. Veetil, D. Sylvester, and D. Blaauw, "Efficient Monte Carlo based incremental statistical timing analysis," *ACM/IEEE Design Automation Conference*, pp. 676-681, 2008.
384. R. Gandikota, D. Blaauw, and D. Sylvester, "Modeling crosstalk in statistical static timing analysis," *ACM/IEEE Design Automation Conference*, pp. 974-979, 2008.
385. H. Kaul, J-S. Seo, M. Anders, D. Sylvester, and R. Krishnamurthy, "A robust alternate repeater technique for high performance buses in the multi-core era," *IEEE International Symposium on Circuits and Systems*, 2008.
386. Y-S. Lin, S. Hanson, F. Albano, C. Tokunaga, R. Haque, K. Wise, A.M. Sastry, D. Blaauw, and D. Sylvester, "Low-voltage circuit design for widespread sensing applications," *IEEE International Symposium on Circuits and Systems*, 2008. [invited]
387. V. Joshi, B. Cline, K. Agarwal, D. Sylvester, and D. Blaauw, "Stress aware layout optimization," *ACM/IEEE International Symposium on Physical Design*, pp. 168-174, 2008.
388. S. Hanson, B. Zhai, D. Blaauw, and D. Sylvester, "Energy-driven circuit design for ubiquitous sensing applications," *Government Microcircuit Applications and Critical Technology Conference*, 2008. [invited]

389. V. Veetil, D. Sylvester, and D. Blaauw, "Fast and accurate waveform analysis with current source models," *IEEE International Symposium on Quality Electronic Design*, pp. 53-56, 2008.
390. E. Karl, D. Sylvester, and D. Blaauw, "Analysis of system-level reliability factors and implications on real-time monitoring methods for oxide breakdown device failures," *IEEE International Symposium on Quality Electronic Design*, pp. 391-395, 2008.
391. P. Gupta, A.B. Kahng, Y. Kim, S. Shah, and D. Sylvester, "Shaping gate channels for improved devices," *SPIE Design for Manufacturability through Design-Process Integration II*, 2008.
392. E. Karl, P. Singh, D. Blaauw, and D. Sylvester, "Compact *in situ* sensors for monitoring NBTI and oxide degradation," *IEEE International Solid-State Circuits Conference*, pp. 410-411, 2008.
393. M. Guthaus, D. Sylvester, and R.B. Brown, "Clock tree synthesis with datapath sensitivity matching," *ACM/IEEE Asia/South-Pacific Design Automation Conference*, pp. 498-503, 2008.
394. P. Gupta, A.B. Kahng, Y. Kim, S. Shah, and D. Sylvester, "Investigation of diffusion rounding for post-lithography analysis," *ACM/IEEE Asia/South-Pacific Design Automation Conference*, pp. 480-485, 2008.
395. E.-H. Toh, G. H. Wang, M. Zhu, C. Shen, L. Chan, G.-Q. Lo, C-H. Tung, D. Sylvester, C.-H. Heng, G. Samudra, and Y.-C. Yeo, "Impact ionization nanowire transistor with multiple-gates, silicon-germanium impact ionization region, and sub-5mV/decade subthreshold swing," *IEEE International Electron Device Meetings*, pp. 195-198, 2007.
396. S. Hanson, B. Zhai, D. Blaauw, and D. Sylvester, "Energy-optimal circuit design," *IEEE International Symposium on System-on-Chip*, 2007. [invited]
397. G. Chen, N.S. Kim, D. Sylvester, and D. Blaauw, "Yield-driven near-threshold SRAM design," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 660-666, 2007.
398. V. Joshi, D. Sylvester, and D. Blaauw, "Soft-edge flip-flops for improved timing yield: design and optimization," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 667-673, 2007.
399. R. Gandikota, D. Blaauw, and D. Sylvester, "Aggressor-victim alignment for worst-case delay noise," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 698-704, 2007.
400. C. Shen, E-H. Toh, J. Lin, C-H. Heng, D. Sylvester, G. Samudra, and Y-C. Yeo, "A physics-based compact model for I-MOS transistors," *International Conference on Solid-State Devices and Materials*, 2007.
401. E.-H. Toh, G. H. Wang, L. Chan, D. Sylvester, C.-H. Heng, G. Samudra, and Y.-C. Yeo, "A double-gate tunneling field-effect transistor with silicon-germanium source for high-performance, low standby power, and low power technology applications," *International Conference on Solid-State Devices and Materials*, 2007.
402. R. Dreslinski, B. Zhai, D. Sylvester, D. Blaauw, and T. Mudge, "An energy-efficient parallel architecture using near-threshold operation," *ACM/IEEE International Conference on Parallel Architectures and Compilation Technologies*, pp. 175-188, 2007.
403. Y.S. Lin, D. Sylvester, and D. Blaauw, "A sub-pW timer using gate leakage for ultra low-power sub-Hz monitoring systems," *IEEE Custom Integrated Circuits Conference*, pp. 397-400, 2007.
404. E.-H. Toh, G. H. Wang, L. Chan, G.-Q. Lo, D. Sylvester, C.-H. Heng, G. Samudra, and Y.-C. Yeo, "A complementary-I-MOS technology featuring SiGe channel and I-region for enhancement of impact-ionization, breakdown voltage, and performance," *IEEE European Solid-State Device Research Conference*, pp. 295-298, 2007.
405. J.S. Seo, D. Sylvester, D. Blaauw, H. Kaul, and R. Krishnamurthy, "A robust edge encoding technique for energy-efficient multi-cycle interconnect," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 68-73, 2007.

406. B. Zhai, R. Dreslinski, T. Mudge, D. Blaauw, and D. Sylvester, "Energy efficient near-threshold chip multi-processing," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 32-37, 2007. **[best paper award nominee, 5 nominees out of 192 submissions]**
407. S. Hanson, B. Zhai, M. Seok, B. Cline, K. Zhou, M. Singhal, M. Minuth, J. Olson, L. Nazhandali, T. Austin, D. Sylvester, and D. Blaauw, "Performance and variability optimization strategies in a sub-200mV, 3.5pJ/inst, 11nW subthreshold processor," *IEEE Symposium on VLSI Circuits*, pp. 152-153, 2007.
408. P. Gupta, A.B. Kahng, Y. Kim, S. Shah, and D. Sylvester, "Line end shortening is not always a failure," *ACM/IEEE Design Automation Conference*, pp. 270-271, 2007.
409. M. Seok, S. Hanson, D. Sylvester, and D. Blaauw, "Analysis and optimization of sleep modes in subthreshold circuit design," *ACM/IEEE Design Automation Conference*, pp. 694-699, 2007.
410. S. Hanson, D. Sylvester, and D. Blaauw, "Nanometer device scaling in subthreshold circuits," *ACM/IEEE Design Automation Conference*, pp. 700-705, 2007.
411. R. Gandikota, K. Chopra, D. Blaauw, D. Sylvester, and M. Becer, "Enumerating the top-k aggressors set in delay-noise analysis," *ACM/IEEE Design Automation Conference*, pp. 174-179, 2007.
412. J-S. Seo, P. Singh, D. Blaauw, and D. Sylvester, "Self-timed regenerators for high-speed and low-power interconnect," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 621-626, 2007. **[best paper award nominee]**
413. B. Zhai, D. Blaauw, D. Sylvester, and S. Hanson, "A sub-200mV 6T SRAM in 130nm CMOS," *IEEE International Solid-State Circuits Conference*, pp. 332-333, 2007.
414. Y-S. Lin and D. Sylvester, "Runtime leakage power estimation technique for combinational circuits," *ACM/IEEE Asia-South Pacific Design Automation Conference*, pp. 660-665, 2007.
415. Y. Kim, D. Petranovic, and D. Sylvester, "Simple and accurate models for capacitance increment due to metal fill insertion," *ACM/IEEE Asia-South Pacific Design Automation Conference*, pp. 456-461, 2007.
416. R.R. Rao, D. Blaauw, and D. Sylvester, "Circuit optimization for soft error rate mitigation using gate sizing and flipflop assignment," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 502-509, 2006.
417. S.H. Kulkarni, D. Sylvester, and D. Blaauw, "Process variation aware body bias assignment based on a statistical clustering approach," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 39-46, 2006.
418. K. Chopra, B. Zhai, D. Blaauw, and D. Sylvester, "A new statistical max operation for propagating skewness in statistical timing analysis," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 237-243, 2006.
419. D. Sylvester, S. Hanson, B. Zhai, and D. Blaauw, "Design strategies for ultra-low voltage circuits," *IEEE International SoC Design Conference*, 2006. **[invited]**
420. S. Hanson, B. Zhai, D. Blaauw, D. Sylvester, A. Bryant, and X. Wang, "Achieving femto-Joule operation: energy optimality and variability in subthreshold design," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 363-365, 2006.
421. H.S. Deogun, R. Senger, D. Sylvester, R. Brown, and K. Nowka "A dual-Vdd boosted pulsed bus technique for low power and low leakage operation," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 73-78, 2006.
422. S. Hanson, D. Sylvester, and D. Blaauw, "A new technique for jointly optimizing gate sizing and supply voltage in ultra-low energy circuits," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 338-341, 2006.

423. M. Guthaus, D. Sylvester, and R.B. Brown, "Clock buffer and wire sizing using sequential programming," *ACM/IEEE Design Automation Conference*, pp. 1041-1046, 2006.
424. E. Karl, D. Sylvester, D. Blaauw, and T. Mudge, "Reliability modeling and management in dynamic microprocessor-based systems," *ACM/IEEE Design Automation Conference*, pp. 1057-1060, 2006.
425. H.S. Deogun, D. Sylvester, and K. Nowka, "Fine-grained multi-threshold CMOS for enhanced leakage reduction," *IEEE International Symposium on Circuits and Systems*, pp. 3850-3853, 2006.
426. V. Joshi, R.R. Rao, D. Blaauw, and D. Sylvester, "Logic SER reduction through flipflop redesign," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 611-616, 2006.
427. K. Agarwal, H.S. Deogun, D. Sylvester, and K. Nowka, "Power gating with multiple sleep modes," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 633-637, 2006. **[best paper award]**
428. R.R. Rao, K. Chopra, D. Blaauw, and D. Sylvester, "Efficient static soft error rate analysis for combinational circuits," *ACM/IEEE Design, Automation, and Test in Europe*, pp. 164-169, 2006
429. P. Gupta, A.B. Kahng, Y. Kim, S. Shah, and D. Sylvester, "Modeling of non-uniform device geometries for post-lithography circuit analysis," *SPIE Design and Process Integration for Microelectronic Manufacturing V*, 2006.
430. P. Gupta, A.B. Kahng, Y. Kim, and D. Sylvester, "Self-compensating design for reduction of timing and leakage sensitivity to systematic pattern-dependent variation," *SPIE Design and Process Integration for Microelectronic Manufacturing V*, 2006.
431. J. Yang, L. Capodiceci, and D. Sylvester, "Layout verification and optimization based on flexible design rules," *SPIE Design and Process Integration for Microelectronic Manufacturing V*, 2006.
432. S.H. Kulkarni and D. Sylvester, "Power distribution techniques for dual Vdd circuits," *IEEE/ACM Asia-South Pacific Design Automation Conference*, pp. 838-843, 2006.
433. M. Guthaus, R. Brown, and D. Sylvester, "Process-induced skew reduction in nominal zero-skew clock trees," *IEEE/ACM Asia-South Pacific Design Automation Conference*, pp. 84-89, 2006.
434. S. Shah, A. Srivastava, V. Zolotov, D. Sharma, D. Sylvester, and D. Blaauw, "Discrete Vt assignment and gate sizing using a self-snapping continuous formulation," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 705-711, 2005.
435. K. Chopra, S. Shah, A. Srivastava, D. Blaauw, and D. Sylvester, "Parametric yield maximization using gate sizing based on efficient statistical power and delay gradient computation," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 1023-1028, 2005.
436. D. Sylvester, "Design for manufacturability: challenges and opportunities," *IEEE International Conference on ASIC*, 2005.
437. H. Deogun, R.M. Rao, D. Sylvester, and K. Nowka, "Adaptive MTCMOS for dynamic leakage and frequency control using variable footer strength," *IEEE System-on-Chip Conference*, pp. 147-150, 2005.
438. B. Zhai, S. Hanson, D. Blaauw, and D. Sylvester, "Analysis and mitigation of variability in subthreshold design," *IEEE/ACM International Symposium on Low-Power Electronics Design*, pp. 20-25, 2005.
439. P. Gupta, A.B. Kahng, Y. Kim, and D. Sylvester, "Self-compensating design for focus variation," *ACM/IEEE Design Automation Conference*, pp. 365-368, 2005.
440. J. Yang, L. Capodiceci, and D. Sylvester, "Advanced timing analysis based on post-OPC extraction of critical dimensions," *ACM/IEEE Design Automation Conference*, pp. 359-364, 2005. **[best paper award nominee, 15 nominees out of 735 submissions]**
441. A. Srivastava, S. Shah, K. Agarwal, D. Sylvester, D. Blaauw, and S. Director, "Accurate and efficient parametric yield estimation considering correlated variations in leakage power and performance," *ACM/IEEE Design Automation Conference*, pp. 535-540, 2005.

442. D. Sylvester, H. Kaul, K. Agarwal, R.M. Rao, S. Nassif, and R.B. Brown, "Power-aware global signaling strategies," *IEEE International Symposium on Circuits and Systems*, pp. 604-607, 2005. **[invited]**
443. E. Karl, D. Sylvester, and D. Blaauw, "Timing error correction techniques for voltage-scalable on-chip memories," *IEEE International Symposium on Circuits and Systems*, pp. 3563-3566, 2005.
444. M. Guthaus, N. Venkateswaran, D. Sylvester, R.B. Brown, and V. Zolotov, "Optimization objectives and models of variation for statistical gate sizing," *ACM/IEEE Great Lakes Symposium on VLSI*, pp. 313-316, 2005.
445. H. Kaul and D. Sylvester, "A novel buffer circuit for energy efficient signaling in dual-V<sub>dd</sub> systems," *ACM/IEEE Great Lakes Symposium on VLSI*, pp. 462-467, 2005.
446. R. Bai, N.S. Kim, D. Sylvester, and T. Mudge, "Total leakage optimization strategies for multi-level caches," *ACM/IEEE Great Lakes Symposium on VLSI*, pp. 381-384, 2005.
447. H. Deogun, D. Sylvester, and D. Blaauw, "Gate-level mitigation techniques for neutron-induced soft error rate," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 175-180, 2005.
448. P. Gupta, A.B. Kahng, D. Sylvester, and J. Yang, "Performance-driven OPC for mask cost reduction," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 270-275, 2005.
449. R.M. Rao, K. Agarwal, A. Devgan, K. Nowka, D. Sylvester, and R. Brown, "Parametric yield analysis and constrained-based supply voltage optimization," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 284-290, 2005. **[best paper award nominee]**
450. H. Deogun, R.M. Rao, D. Sylvester, R. Brown, and K. Nowka, "Dynamically pulsed MTCMOS with bus encoding for total power and crosstalk minimization," *ACM/IEEE International Symposium on Quality Electronic Design*, pp. 88-93, 2005.
451. R.R. Rao, D. Blaauw, D. Sylvester, C.J. Alpert, and S. Nassif, "An efficient surface-based low-power buffer insertion algorithm," *ACM/IEEE International Symposium on Physical Design*, pp. 86-93, 2005.
452. H. Kaul, D. Sylvester, D. Blaauw, T. Austin, and T. Mudge, "DVS for on-chip bus designs based on timing error correction," *ACM/IEEE Design, Automation, and Test in Europe*, pp. 80-85, 2005.
453. R. Bai, N.S. Kim, T.H. Kgil, D. Sylvester, and T. Mudge, "Power-performance tradeoffs in nanometer-scale multi-level caches considering total leakage," *ACM/IEEE Design, Automation, and Test in Europe*, pp. 650-651, 2005.
454. J. Yang, L. Capiodiecchi, and D. Sylvester, "Advanced timing analysis based on post-OPC patterning process simulations," *SPIE Design and Process Integration for Microelectronic Manufacturing III*, SPIE vol. 5756, pp. 189-197, 2005.
455. K. Agarwal, D. Sylvester, D. Blaauw, and A. Devgan, "Achieving continuous V<sub>th</sub> performance in a dual-V<sub>th</sub> process," *ACM/IEEE Asia-South Pacific Design Automation Conference*, pp. 393-398, 2005.
456. D. Lee, D. Blaauw, and D. Sylvester, "Runtime leakage minimization through probability-aware dual-V<sub>t</sub> or dual-Tox assignment," *ACM/IEEE Asia-South Pacific Design Automation Conference*, pp. 399-404, 2005.
457. M. Agarwal, K. Agarwal, D. Sylvester, and D. Blaauw, "Statistical modeling of cross-coupling effects in VLSI interconnects," *ACM/IEEE Asia-South Pacific Design Automation Conference*, pp. 503-506, 2005.
458. Y.-S. Lin and D. Sylvester, "A new asymmetric skewed buffer design for runtime leakage power reduction," *ACM/IEEE International Conference on VLSI Design*, pp. 824-827, 2005.
459. A. Srivastava and D. Sylvester, "A general framework for probabilistic low-power design space exploration considering process variation," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 808-813, 2004.

460. A.K. Sultania, S.S. Sapatnekar, and D. Sylvester, "Transistor and pin reordering for gate oxide leakage reduction in dual-Tox circuits," *IEEE International Conference on Computer Design*, pp. 228-233, 2004.
461. S. Shah, K. Agarwal, and D. Sylvester, "A new threshold voltage assignment scheme for runtime leakage reduction in on-chip repeaters," *IEEE International Conference on Computer Design*, pp. 138-143, 2004.
462. P. Gupta, A.B. Kahng, C.-H. Park, P. Sharma, D. Sylvester, and J. Yang, "Joining the design and mask flows for better and cheaper masks," *Proc. 24<sup>th</sup> BACUS Symposium on Photomask Technology and Management*, pp. 318-329, 2004. **[invited]**
463. B. Zhai, D. Blaauw, and D. Sylvester, "Extended dynamic voltage scaling for low-power design," *IEEE International SOC Conference*, pp. 389-394, 2004. **[invited]**
464. H. Kaul, D. Sylvester, M. Anders, and R. Krishnamurthy, "Spatial encoding circuit techniques for peak power reduction of on-chip high-performance buses," *IEEE/ACM International Symposium on Low-Power Electronics Design*, pp. 194-199, 2004.
465. S.H. Kulkarni, A. Srivastava, and D. Sylvester, "A new algorithm for improved VDD assignment in low power dual VDD systems," *IEEE/ACM International Symposium on Low-Power Electronics Design*, pp. 200-205, 2004.
466. R.M. Rao, K. Agarwal, D. Sylvester, R. Brown, K. Nowka, and S. Nassif, "Approaches to runtime and standby mode leakage reduction in global buses," *IEEE/ACM International Symposium on Low-Power Electronics Design*, pp. 188-193, 2004.
467. A.K. Sultania, D. Sylvester, and S.S. Sapatnekar, "Tradeoffs between gate oxide leakage and delay for dual-Tox circuits," *IEEE/ACM Design Automation Conference*, pp. 761-766, 2004.
468. P. Gupta, A.B. Kahng, P. Sharma, and D. Sylvester, "Selective gate-length biasing for cost-effective runtime leakage control," *IEEE/ACM Design Automation Conference*, pp. 327-330, 2004.
469. K. Agarwal, D. Sylvester, D. Blaauw, F. Liu, S. Nassif, and S. Vrudhula, "Variational delay metrics for interconnect timing analysis," *IEEE/ACM Design Automation Conference*, pp. 381-384, 2004.
470. H. Deogun, R.R. Rao, D. Sylvester, and D. Blaauw, "Crosstalk- and leakage-aware bus encoding for total power reduction," *IEEE/ACM Design Automation Conference*, pp. 779-782, 2004.
471. R.R. Rao, A. Devgan, D. Blaauw, and D. Sylvester, "Parametric yield estimation considering leakage variability," *IEEE/ACM Design Automation Conference*, pp. 442-447, 2004. **[best paper award nominee, 16 nominees out of 785 submissions]**
472. L. Capodiecici, P. Gupta, A.B. Kahng, D. Sylvester, and J. Yang, "Toward a methodology for manufacturability-driven design rule exploration," *IEEE/ACM Design Automation Conference*, pp. 311-316, 2004.
473. A. Srivastava, D. Sylvester, and D. Blaauw, "Statistical optimization of leakage power considering process variations using dual-V<sub>th</sub> and sizing," *IEEE/ACM Design Automation Conference*, pp. 773-778, 2004.
474. B. Zhai, D. Blaauw, D. Sylvester, and K. Flautner "Theoretical and practical limits of dynamic voltage scaling," *IEEE/ACM Design Automation Conference*, pp. 868-873, 2004.
475. A. Srivastava, D. Sylvester, and D. Blaauw, "Power minimization using simultaneous gate sizing, dual-V<sub>dd</sub>, and dual-V<sub>th</sub> assignment," *IEEE/ACM Design Automation Conference*, pp. 783-786, 2004.
476. R. Brown, D. Blaauw, M.P. Flynn, and D. Sylvester, "VLSI design curriculum," *American Society for Engineering Education Annual Conference*, 2004.
477. A. Srivastava, D. Sylvester, and D. Blaauw, "Concurrent sizing, V<sub>dd</sub> and V<sub>th</sub> assignment algorithm for low-power design," *IEEE/ACM Design, Automation and Test in Europe*, pp. 718-719, 2004.

478. D. Lee, H. Deogun, D. Blaauw, and D. Sylvester, "Simultaneous state, Vt and Tox assignment for total standby power minimization," *IEEE/ACM Design, Automation and Test in Europe*, pp. 494-499, 2004.
479. P. Gupta, A.B. Kahng, Y. Kim, and D. Sylvester, "Investigation of performance metrics for interconnect stack architectures," *IEEE/ACM Workshop on System-Level Interconnect Prediction*, pp. 23-29, 2004.
480. K. Agarwal, D. Sylvester, and D. Blaauw, "A simplified transmission-line based crosstalk noise model for on-chip RLC wiring," *IEEE/ACM Asia-South Pacific Design Automation Conference*, pp. 859-865, 2004.
481. M. R. Bai and D. Sylvester, "Analysis and design of level-converting flip-flops for dual-Vdd/Vth integrated circuits," *IEEE International Symposium on System-on-Chip*, pp. 151-154, 2003.
482. K. Agarwal, D. Sylvester, and D. Blaauw, "Dynamic clamping: On-chip dynamic shielding and termination for high-speed RLC buses," *IEEE International Symposium on System-on-Chip*, pp. 97-100, 2003.
483. Y. Cao, X. Yang, X. Huang, and D. Sylvester, "Switch-factor based loop RLC modeling for efficient timing analysis," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 848-853, 2003.
484. S. Das, K. Agarwal, D. Blaauw, and D. Sylvester, "Optimal inductance for on-chip RLC interconnections," *IEEE International Conference on Computer Design*, pp. 264-267, 2003.
485. S.H. Kulkarni and D. Sylvester, "New level converters and level converting logic circuits for multi-VDD low power design," *IEEE System-on-Chip (SOC) Conference*, pp. 169-172, 2003.
486. H. Kaul, D. Sylvester, and D. Blaauw, "Active shielding of RLC global interconnects," *IEEE European Solid-State Circuits Conference*, pp. 265-268, 2003.
487. R.R. Rao, A. Srivastava, D. Blaauw, and D. Sylvester, "Statistical estimation of leakage current considering inter- and intra-die process variation," *ACM/IEEE International Symposium on Low-Power Electronics Design*, pp. 84-89, 2003.
488. K. Agarwal, D. Sylvester, and D. Blaauw, "Effective capacitance based driver output model for on-chip RLC interconnects," *ACM/IEEE Design Automation Conference*, pp. 376-381, 2003.
489. D. Lee, W. Kwong, D. Blaauw, and D. Sylvester, "Analysis and minimization techniques for total leakage considering gate oxide leakage," *ACM/IEEE Design Automation Conference*, pp. 175-180, 2003.
490. P. Gupta, A.B. Kahng, D. Sylvester, and J. Yang, "A cost-driven lithographic correction methodology based on off-the-shelf sizing tools," *ACM/IEEE Design Automation Conference*, pp. 16-21, 2003.
491. K. Agarwal, D. Sylvester, and D. Blaauw, "Simple metrics for slew rate of RC circuits based on two circuit moments," *ACM/IEEE Design Automation Conference*, pp. 950-953, 2003.
492. L. Stok, R. Puri, J. Cohn, D. Kung, D. Pan, D. Sylvester, A. Srivastava, and S.H. Kulkarni,, "Pushing ASIC performance in a power envelope," *ACM/IEEE Design Automation Conference*, pp. 788-793, 2003.
493. D. Rickard, R. Berger, E. Chan, B. Clegg, S. Patton, R. Anderson, R. Brown, D. Sylvester, M. Guthaus, H. Deogun, K.J.R. Liu, C. Pandana, and N. Chandrachoodan, "BAE SYSTEMS Mission Specific Processor Technology," *Government Microcircuit Applications and Critical Technology Conference*, 23.1, pp. 1-4, 2003.
494. D. Lee, W. Kwong, D. Blaauw, and D. Sylvester, "Simultaneous subthreshold and gate-oxide tunneling leakage current analysis in nanometer CMOS design," *IEEE International Symposium on Quality Electronic Design*, pp. 287-292, 2003.



495. M.R. Bai, S. Kulkarni, W. Kwong, A. Srivastava, D. Sylvester, and D. Blaauw, "An implementation of a 32-bit ARM processor using dual power supplies and dual threshold voltages," *IEEE International Symposium on VLSI*, pp. 149-154, 2003.
496. P. Gupta, A.B. Kahng, D. Sylvester, and J. Yang, "Toward performance-driven reduction of the cost of RET-based lithography control," SPIE Vol. 5043, *Cost and Performance in Integrated Circuit Creation*, 2003. **[invited]**
497. A. Srivastava and D. Sylvester, "Minimizing total power by simultaneous Vdd/Vth assignment," *IEEE/ACM Asia-South Pacific Design Automation Conference*, pp. 400-403, 2003.
498. H. Kaul, D. Sylvester, and D. Blaauw, "Active shielding of RLC global interconnects," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems*, 2002, pp. 98-104.
499. K. Agarwal, D. Sylvester, and D. Blaauw, "A library compatible driving point model for on-chip RLC interconnect," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems*, 2002, pp. 63-69.
500. A. Srivastava, M.R. Bai, D. Sylvester, and D. Blaauw, "Modeling and analysis of leakage power considering within-die process variations," *IEEE International Symposium on Low-Power Electronics Design*, pp. 64-67, 2002.
501. Y. Cao, X. Huang, D. Sylvester, H. Wan, T-J. King, and C. Hu, "Impact of on-chip frequency-dependent R(f) L(f) on digital and RF design," *IEEE International ASIC/SOC Conference*, pp. 438-442, 2002.
502. X. Huang, Y. Cao, D. Sylvester, T-J. King, and C. Hu, "Analytical performance models for RLC interconnects and application to clock optimization," *IEEE International ASIC/SOC Conference*, pp. 353-357, 2002.
503. Y. Cao, P. Gupta, A.B. Kahng, D. Sylvester, and J. Yang, "Design sensitivities to variability: Extrapolations and assessments in nanometer VLSI," *IEEE International ASIC/SOC Conference*, pp. 411-415, 2002.
504. H. Kaul, D. Sylvester, and D. Blaauw, "Active shielding: A new approach to shielding global wires," *IEEE Great Lakes Symposium on VLSI*, pp. 112-117, 2002.
505. H. Kaul and D. Sylvester, "Transition-aware global signaling (TAGS)," *IEEE International Symposium on Quality Electronic Design*, pp. 53-59, 2002.
506. K. Agarwal, Y. Cao, T. Sato, D. Sylvester, and C. Hu, "Efficient noise-aware timing analysis using delay change curves," *IEEE/ACM VLSI Design/Asia-South Pacific Design Automation Conference*, pp. 87-94, 2002.
507. D. Sylvester and H. Kaul, "Future performance challenges in nanometer design," *ACM/IEEE Design Automation Conference*, pp. 3-8, 2001. **[invited]**
508. Y. Cao, X. Huang, D. Sylvester, and C. Hu, "A new analytical delay and noise model for on-chip RLC interconnect," *International Electron Device Meetings*, pp. 823-826, 2000.
509. X. Huang, Y. Cao, D. Sylvester, S. Lin, T.J. King, and C. Hu, "RLC signal integrity analysis of high-speed global interconnect," *International Electron Device Meetings*, pp. 731-734, 2000.
510. Y. Cao, T. Sato, X. Huang, C. Hu, and D. Sylvester, "New approaches to noise-aware static timing analysis," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems*, pp. 8-12, 2000.
511. Y. Cao, C. Hu, A. B. Kahng, S. Muddu, D. Stroobandt, and D. Sylvester, "Effects of global interconnect optimizations on performance estimation of deep submicron designs," *International Conference on Computer-Aided Design*, pp. 56-61, 2000.
512. T. Sato, Y. Cao, D. Sylvester, and C. Hu, "Characterization of interconnect coupling noise using in-situ delay change curve measurements," *IEEE ASIC/SoC Conference*, pp. 321-325, 2000.

513. A. Caldwell, Y. Cao, A.B. Kahng, F. Koushanfar, H. Lu, I. Markov, M. Oliver, D. Stroobandt, and D. Sylvester, "GTX: The MARCO GSRC technology extrapolation system," *ACM/IEEE Design Automation Conference*, pp. 693-698, 2000.
514. Y. Cao, T. Sato, M. Orshansky, D. Sylvester, and C. Hu, "New paradigm of predictive MOSFET and interconnect modeling for early circuit simulation," *IEEE Custom Integrated Circuits Conference*, pp. 201-204, 2000.
515. D. Sylvester, "Measurement techniques and interconnect estimation," *ACM System-Level Interconnect Prediction Workshop*, pp. 79-81, 2000.
516. T. Sato, D. Sylvester, Y. Cao, and C. Hu, "Accurate in-situ measurement of peak noise and signal delay induced by interconnect coupling," *IEEE International Solid-State Circuits Conference*, pp. 226-227, 2000.
517. D. Sylvester and K. Keutzer, "Getting to the bottom of deep submicron II: the global wiring paradigm," *ACM/IEEE International Symposium on Physical Design*, pp. 193-200, 1999.
518. O.S. Nakagawa, N. Chang, S. Lin, and D. Sylvester, "Circuit impact and skew-corner analysis of stochastic process variation in global interconnect," *IEEE International Interconnect Technology Conference*, pp. 230-232, 1999.
519. D. Sylvester, O.S. Nakagawa, and C. Hu, "Modeling the impact of back-end process variation on circuit performance," *IEEE International Symposium on VLSI Technology, Systems, and Applications*, pp. 58-61, 1999.
520. D. Sylvester and K. Keutzer, "System-level performance modeling with BACPAC – Berkeley advanced chip performance calculator," *ACM International Workshop on System-Level Interconnect Prediction (workshop notes)*, pp. 109-114, 1999.
521. K. Keutzer and D. Sylvester, "Chip level assembly is the key to DSM design," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems*, pp. 23-24, 1999.
522. D. Sylvester and K. Keutzer, "Getting to the bottom of deep submicron," *ACM/IEEE International Conference on Computer-Aided Design*, pp. 203-211, 1998.
523. D. Sylvester, C. Hu, O.S. Nakagawa, and S-Y. Oh, "Interconnect scaling: signal integrity and performance in future high-speed CMOS designs," *IEEE Symposium on VLSI Technology*, pp. 42-43, 1998.
524. D. Sylvester, J.C. Chen, and C. Hu, "Measurement-based interconnect capacitance characterization for circuit simulations," *IEEE International Semiconductor Device Research Symposium*, pp. 67-70, 1997. **[best student paper award]**
525. D. Sylvester, J.C. Chen, B.W. McGaughy, and C. Hu, "Investigation of interconnect capacitance using charge-based capacitance measurement (CBCM) technique and 3-D simulation," *IEEE Custom Integrated Circuits Conference*, pp. 491-494, 1997.
526. J.C. Chen, D. Sylvester, C. Hu, H. Aoki, O.S. Nakagawa, and S-Y. Oh, "An on-chip sub-femto-farad interconnect charge-based capacitance measurement (CBCM) technique," *IEEE International Conference on Microelectronic Test Structures*, pp. 77-80, 1997.
527. J.C. Chen, B.W. McGaughy, D. Sylvester, and C. Hu, "An on-chip atto-farad interconnect charge-based capacitance measurement (CBCM) technique," *IEEE International Electron Device Meetings*, pp. 69-72, 1996.

*Unpublished workshop notes (refereed)*

1. R.G. Dreslinski, B. Giridhar, N. Pinckney, D. Blaauw, D. Sylvester, and T. Mudge "Reevaluating fast dual-voltage power rail switching circuitry," Workshop on Duplicating, Deconstructing, and Debunking (WDDD), in conjunction with ISCA, pp. 1-7, 2012.

2. N. Pinckney, R. Dreslinski, K. Sewell, D. Fick, D. Blaauw, D. Sylvester, and T. Mudge, "Limits of voltage-scaled parallel architectures to combat dark silicon," Workshop on Sark Silicon (DaSi), 2012.
3. D. Fick, R.G. Dreslinski, B. Giridhar, G. Kim, S. Seo, M. Fojtik, S. Satpathy, Y. Lee, D. Kim, N. Liu, M. Wieckowski, G. Chen, T. Mudge, D. Sylvester, and D. Blaauw, "Centip3De: A 7-layer 3D system with 128 ARM Cortex-M3 cores and 256MB of DRAM," *Workshop on 3D Integration*, held in conjunction with *ACM/IEEE Design, Automation, and Test in Europe*, 2011.
4. V. Joshi, V. Sukharev, A. Torres, D. Sylvester, and D. Blaauw, "Closed-form modeling of layout-dependent mechanical stress," *IEEE International Workshop on Design for Manufacturability and Yield (DFM&Y)*, 2009.
5. R. Dreslinski, M. Wieckowski, D. Blaauw, D. Sylvester, and T. Mudge, "Near threshold computing: overcoming performance degradation from aggressive voltage scaling," *Workshop on Energy Efficient Design*, held in conjunction with *ACM/IEEE International Symposium on Computer Architecture*, 2009.
6. J-S. Seo, I. Markov, D. Sylvester, and D. Blaauw, "On the decreasing utility of technology mapping," *IEEE International Workshop on Logic Synthesis*, 2008.
7. R. Gandikota, D. Blaauw, and D. Sylvester, "Modeling crosstalk in statistical static timing analysis," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems (TAU)*, 2008.
8. V. Veetil, D. Sylvester, and D. Blaauw, "Efficient Monte Carlo based incremental statistical timing analysis," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems (TAU)*, 2008.
9. D. Roberts, R.G. Dreslinski, E. Karl, T. Mudge, D. Sylvester, and D. Blaauw, "When homogeneous becomes heterogeneous," *Operating System Support for Heterogeneous Multicore Architectures Workshop*, 2007.
10. V. Veetil, D. Sylvester, and D. Blaauw, "Criticality aware Latin Hypercube sampling for efficient statistical timing analysis," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems (TAU)*, 2007.
11. V. Veetil, D. Sylvester, and D. Blaauw, "Fast and accurate waveform analysis with current source models," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems (TAU)*, 2007.
12. R. Gandikota, K. Chopra, D. Blaauw, D. Sylvester, and M. Becer, "Enumerating the top-k aggressors set in delay-noise analysis," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems (TAU)*, 2007.
13. F. Albano, D. Blaauw, D. Sylvester, and A.M. Sastry, "Design of hybrid implantable power systems (HIPS): optimization based on fundamentals of materials and energetics," *211<sup>th</sup> Electrochemical Society Meeting*, 2007.
14. F. Albano, D. Blaauw, D. Sylvester, and A.M. Sastry, "Design and optimization of hybrid power systems for fully implantable medical devices," *Joint International Meeting of Electrochemical Society*, 2006.
15. Y. Kim, D. Petranovic, and D. Sylvester, "Simple and accurate models for capacitance increment due to metal fill insertion," *IEEE International Workshop on Design for Manufacturability and Yield (DFM&Y)*, 2006.
16. D. Sylvester, "IC design strategies at ultra-low voltages," *IEEE Austin Conference on Integrated Systems and Circuits*, 2006. **[invited]**
17. K. Chopra, B. Zhai, D. Blaauw, and D. Sylvester, "A new statistical max operation for propagating skewness in statistical timing analysis," *ACM/IEEE International Workshop on Timing Issues in the Specification and Synthesis of Digital Systems (TAU)*, 2006.

18. E. Karl, D. Blaauw, D. Sylvester, C. McDowell, F. Liu, and S. Nassif, "Measuring subthreshold conduction variability," *IBM Austin Center for Advanced Studies Conference*, 2003.